Ready to start planning your care? Call us at 800-525-2225 to make an appointment.

×



Make an Appointment

Search About Herbs mirreens. Treatment

Refer a Patient

ABOUT US

Our mission, vision & core values

Leadership

History

Equality, diversity & inclusion

Annual report

Give to MSK

_ _ _ _ . . _

Feverfew may benefit patients with migraine headaches.

One or more compounds found in feverfew are thought to prevent migraines. One such compound, parthenolide, was found to block the formation of inflammatory proteins. A feverfew extract was shown to reduce the number of migraine attacks and also decrease the mild headache that occurs before a migraine attack. Feverfew also showed anticancer effects in lab studies. Human studies are needed.

What are the potential uses and benefits?

To prevent migraine headaches

A few studies support this use. Post-feverfew withdrawal syndrome (consisting of muscle stiffness, anxiety, headaches, nausea, and vomiting) can occur after patients discontinue using this herb.

To treat arthritis

Although compounds in feverfew show anti-inflammatory activity in the laboratory, a clinical trial did not support this use.

To relieve painful and heavy menstruation

No scientific evidence supports this use.

To treat psoriasis

Although compounds in feverfew show anti-inflammatory activity in the laboratory, human data are lacking.

What are the side effects?

Stomach upset

Feverfew 1/3

- · Red, itchy rash
- Mouth ulcerations when chewing fresh feverfew leaves
- Withdrawal symptoms (post-feverfew syndrome): May occur when patients stop taking feverfew after a long period of time. These include muscle stiffness, anxiety, moderate pain, headache, nausea, and vomiting.

What else do I need to know?

Do Not Take if:


You are allergic to ragweed, chrysanthemums, marigolds, or other members of the Compositae family .

You are taking Cytochrome P450 3A4 substrate drugs: Feverfew may increase the risk of side effects of these drugs. Clinical relevance is not known.

You are taking anticoagulant/antiplatelet drugs: Feverfew may increase the risk of bleeding. Clinical relevance is not known.

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.

For more resources, visit www.mskcc.org/pe to search our virtual library.



Feverfew 2/3

Find a doctor

Research & Education

Sloan Kettering Institute

Gerstner Sloan Kettering Graduate School

Graduate medical education

MSK Library

Communication preferences

Cookie preferences

Legal disclaimer

Accessibility statement

Privacy policy

Price transparency

Public notices

© 2024 Memorial Sloan Kettering Cancer Center

Feverfew 3/3