

- Wash your hands thoroughly with soap and water for 20 seconds before and after you apply Vaseline® or Aquaphor®. Do not touch the wound or the dressing. Do not use petroleum jelly (Vaseline) on the wound.
- Do not use Band-Aid® on the wound.
- Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury.
- Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury.
- Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury.
- Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury.
- Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury.
- Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury. Do not use antibiotic ointment on the wound, for 15 days after the injury.

... , ... |
... |
... MSK
... |
... |
... |
... |
212-639-2000.

www.mskcc.org/pe

Cryotherapy for Skin Lesions - Last updated on December 15, 2022

(MSK)

...
... 15, 2022

Learn about our [Health Information Policy](#).

... |
... |
... |
... |
... |

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..?

-
-
-

... ..
... ..?

... ..
... ..

... ..