

[illegible]

- **Environnement** : L'habitat est principalement composé de chaumières en torchis, avec des toits en tuiles de terre cuite. Les maisons sont souvent construites sur pilotis en bois.
- **Architecture** : Les maisons sont généralement rectangulaires, avec une cour intérieure. Les murs sont épais et les ouvertures sont petites. Les toits sont à faible pente.
- **Matériaux** : Les matériaux utilisés sont principalement le torchis, le bois et la terre cuite.
- **Artisanat** : Les artisans locaux sont spécialisés dans la construction de chaumières et la fabrication de tuiles de terre cuite.
- **Art de vivre** : La vie est rythmée par les traditions locales, les fêtes et les rituels. Les habitants sont très attachés à leur patrimoine.
- **Patrimoine** : Le patrimoine architectural est riche et varié, reflétant l'histoire et la culture de la région.
- **Artisanat** : Les artisans locaux sont spécialisés dans la construction de chaumières et la fabrication de tuiles de terre cuite.
- **Art de vivre** : La vie est rythmée par les traditions locales, les fêtes et les rituels. Les habitants sont très attachés à leur patrimoine.
- **Patrimoine** : Le patrimoine architectural est riche et varié, reflétant l'histoire et la culture de la région.

■■■■■ ■■■■■ ■■ ■■ ■■■■■■■■■■ ■■ ■■ ■■■■■■■■ ■■ ■■■■■
 ■■■■ ■■■■ ■■ ■■ ■■■■■ ■■■■■ ■■■■■ ■■■■■■■ ■■■■ | ■■■■■■■
 ■■■■■ ■■■■ ■■ ■■■■■■■■ ■■ ■■■■, ■■■■ ■■■■ ■■
 ■■■■■■■■■■ ■■ ■■■■ ■■ ■■■■■ ■■■■■ ■■ ■■■■■■■■■■ ■■
 ■■■■■ ■■■■■■■ ■■■■ |

[illegible][illegible]

■■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■ ■■

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
 ☐ ☐
 ☐ ☐ ☐ ☐ ☐ ☐

[illegible]



[illegible]

A row of 10 squares, each containing a number from 1 to 10.

- Capecitabine (Xeloda®)
- Doxorubicin (Adriamycin®)
- Fluorouracil (5-FU®)
- Liposomal doxorubicin (Doxil®)
- Cytarabine (Cytosar-U®)

THE UNIVERSITY OF CHICAGO

2022 年 12 月 31 日，公司总资产为 1,000,000 元，净资产为 500,000 元，营业收入为 1,200,000 元，净利润为 200,000 元。

-  |
-  |
-  |

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

- Smooth®, Eucerin®
- Vaseline®
- Band-Aid®

[illegible]

- [illegible]

■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■

- **Pharmaceutical companies, such as Pfizer, have been criticized for their role in the opioid crisis, particularly for the marketing and distribution of OxyContin.**
- **Pharmaceutical companies have also been criticized for their role in the development and marketing of opioids, particularly for the marketing and distribution of OxyContin.**
- **Pharmaceutical companies have also been criticized for their role in the development and marketing of opioids, particularly for the marketing and distribution of OxyContin.**
- **Pharmaceutical companies have also been criticized for their role in the development and marketing of opioids, particularly for the marketing and distribution of OxyContin.**

● 在手术前，患者应接受适当的术前准备，包括禁食、禁水、术前用药等。

● 手术过程中，患者应保持适当的体位，避免长时间压迫，以减少神经损伤的风险。

● 手术结束后，患者应在术后监护室接受密切观察，包括生命体征、意识状态、伤口情况等。

● 术后护理应包括疼痛管理、伤口护理、预防感染、早期活动、饮食调整等。

● 患者应在术后定期随访，评估手术效果及并发症情况。

- 术前评估：评估患者的全身状况、手术风险、麻醉风险等。
- 术前准备：包括禁食、禁水、术前用药、皮肤准备等。
- 术中管理：包括麻醉管理、生命体征监测、手术操作等。
- 术后监护：包括生命体征监测、意识状态评估、伤口护理等。
- 术后护理：包括疼痛管理、伤口护理、预防感染、早期活动、饮食调整等。
- 随访评估：术后定期随访，评估手术效果及并发症情况。

● 术后并发症的预防与处理：包括切口感染、出血、神经损伤、呼吸衰竭等。

● 术后康复训练：包括早期活动、呼吸训练、饮食调整等。

● 术后心理护理：关注患者的心理状态，提供必要的心理支持。

● 术后随访与评估：术后定期随访，评估手术效果及并发症情况。

● 术后护理要点：包括疼痛管理、伤口护理、预防感染、早期活动、饮食调整等。

- 100.4 °F (38 °C) 以上发热：提示可能存在感染，需进一步检查。
- 伤口红肿、疼痛、渗液：提示可能存在切口感染，需及时处理。
- 术后出现呼吸困难、胸痛、咯血：提示可能存在肺栓塞，需立即就医。

- **Hand-Foot Syndrome (HFS) and Hand-Foot Skin Reaction (HFSR)** are common side effects of certain cancer treatments. They can cause redness, swelling, and blisters on the palms of the hands and the soles of the feet. Symptoms usually appear within a few days to weeks after starting treatment.
 - **Prevention:** Your healthcare provider may recommend taking certain medications to help prevent HFS and HFSR. These may include corticosteroids, such as prednisone, and pain relievers, such as acetaminophen.
 - **Care:** If you experience HFS or HFSR, your healthcare provider may recommend stopping the treatment that is causing the reaction. They may also recommend using topical treatments, such as corticosteroid creams, to help reduce the symptoms.
 - **Self-Care:** You can help prevent HFS and HFSR by taking certain precautions. These include:
 - Avoiding hot water, such as in the shower or bath.
 - Avoiding sunburn.
 - Avoiding activities that cause friction or irritation to the skin, such as wearing tight shoes or using harsh soaps.
 - Keeping your hands and feet cool.
 - Using moisturizers to keep your skin hydrated.
- **Hand-Foot Syndrome and Hand-Foot Skin Reaction are not life-threatening.** However, they can be very uncomfortable and may interfere with your ability to perform daily activities.

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.

For more information, visit www.mskcc.org/pe or call 212-639-2000.

Hand-Foot Syndrome and Hand-Foot Skin Reaction - Last updated on July 29, 2023

MSK Cancer Care and Research (MSK) is a leading provider of cancer care and research. We are committed to providing the best possible care for our patients and to advancing the frontiers of cancer research.