



EDIKASYON PASYAN AK MOUN K AP BAY SWEN

# Konsènan Andoskopi nan pati Anlè Lestomak ou a

Enfòmasyon sa a ap ede w prepare pou andoskopi pati anlè lestomak ou a. Yon andoskopi nan pati anlè lestomak ou se yon egzamen pou gade ezofaj ou (tib dijestif la), lestomak ou, ak premye pati ti trip ou.

Pandan andoskopi nan pati anlè lestomak ou an, pwofesyonèl swen sante w la pral itilize yon tib fleksib ki rele andoskòp. Li pèmèt yo wè anndan ezofaj ou, lestomak ou ak ti trip ou nan yon ekran videyo. Yo kapab pran tou ecantiyon tisi tou piti oubyen retir e yon polip (yon kwasans tisi). Pwosedi sa a rele byopsi.

## 1 semèn anvan pwosedi ou an

### Poze kesyon sou medikaman ou yo

Ou ka bezwen sispann pran kèk nan medikaman abityèl ou yo anvan pwosedi a. Sinon, ou ka bezwen pran yon dòz (kantite) diferan pase nòmal. Pale avèk pwofesyonèl swen sante w la sou fason pou w pran medikaman w yo anvan pwosedi w la. Pa chanje fason w pran medikaman w yo san ou pa pale avèk yon pwofesyonèl swen sante.

Seksyon sa a bay kèk egzanp medikaman, men genyen anpil lòt. **Asire w ekip swen w la konnen tout medikaman preskripsyon, medikaman san preskripsyon, ak sipleman alimantè w ap pran.** Yon medikaman sou preskripsyon se yon medikaman ou ka jwenn sèlman avèk yon preskripsyon nan men yon pwofesyonèl swen sante. Yon medikaman yo vann san preskripsyon vle di ou pa bezwen yon preskripsyon doktè pou achte l.



Li trè enpòtan pou w pran medikaman ak sipleman w yo nan bon fason an nan jou ki vini anvan pwosedi w la. Si w pa fè sa, nou ka oblije ranvwaye pwosedi w la.

## Antikowagilan (medikaman ki fonn san)

Yon antikowagilan se yon medikaman ki chanje fason san ou kaye. Yo souvan preskri antikowagilan pou ede prevni kriz kadyak, estwok, ak lòt pwoblèm ke sa ka koze lè san an kaye.

Si w ap pran antikowagilan, pale ak pwofesyonèl swen sante ki pwograme pwosedi w la, e ak lòt pwofesyonèl swen sante ki preskri w li a. Mande yo kisa pou fè anvan pwosedi w lan. Yo kapab di w pou sispann pran medikaman an pou yon sèten nonm jou anvan pwosedi ou a. Sa pral depann de ki tip pwosedi ou pral fè a, ak rezon w ap prann antikowagilan an.

Men kèk egzanp antikowagilan. Genyen lòt, kidonk asire w ke ekip swen sante w la konnen tout medikaman w ap pran yo. Pa sispann pran antikowagilan ou an san ou pa pale ak yon manm ekip swen sante w la.

- |  |   |
|--|---|
| <ul style="list-style-type: none"><li>• Apikzaban (Eliquis®)</li><li>• Aspirin</li><li>• Selekoksib (Celebrex®)</li><li>• Silostazòl (Pletal®)</li><li>• Clopidogrèl (Plavix®)</li><li>• Dabigatran (Pradaxa®)</li><li>• Dalteparin (Fragmin®)</li><li>• Dipiridamòl (Persantine®)</li><li>• Edokzaban (Savaysa®)</li><li>• Enokzaparin (Lovenox®)</li><li>• Fondapariniks (Arixtra®)</li><li>• Enjeksyon Heparin (piki)</li></ul> | <ul style="list-style-type: none"><li>• Meloksikam (Mobic®)</li><li>• Medikaman anti-enflamatwa ki pa gen estewoyid (NSAID yo), tankou ibipwofèn (Advil®, Motrin®), ak napwoksèn (Aleve®)</li><li>• Pentoksifilin (Trental®)</li><li>• Prasigrèl (Effient®)</li><li>• Rivawoksaban (Xarelto®)</li><li>• Silfasalazin (Azulfidine®, Sulfazine®)</li><li>• Tikagrelò (Brilinta®)</li><li>• Tinzaparin (Innohep®)</li><li>• Wafarin (Jantoven®, Coumadin®)</li></ul> |
|--|---|

Lòt medikaman ak sipleman kapab chanje fason san ou kaye a. Nou gen pa egzanp vitamin E, lwil pwason, ak medikaman anti-enflamatwa ki pa genyen estewoyid ladan yo (NSAID yo). Kèlke egzanp NSAID yo se ibipwofèn (Advil®, Motrin®) ak naproxen (Aleve®), men gen anpil lòt ankò.

Li *How To Check if a Medicine or Supplement Has Aspirin, Other NSAIDs, Vitamin E, or Fish Oil* ([www.mskcc.org/cancer-care/patient-education/common-medications-containing-aspirin-and-other-nonsteroidal-anti-inflammatory-drugs-nsaids](http://www.mskcc.org/cancer-care/patient-education/common-medications-containing-aspirin-and-other-nonsteroidal-anti-inflammatory-drugs-nsaids)). L ap ede w konnen ki medikaman ak sipleman ou dwe evite anvan pwosedi w la.

## Medikaman pou dyabèt

Si w ap pran ensilin oswa lòt medikaman pou dyabèt, pale ak pwofesyonèl swen sante MSK ou a, ansanm ak pwofesyonèl swen sante ki preskri li a. Mande yo kisa pou fè anvan operasyon oswa pwosedi w ou an. Ou ka bezwen sispann pran li oswa pran yon dòz (kantite) diferan ke dabitid. Ou ka bezwen swiv diferan enstriksyon tou sou sa w ap manje e bwè anvan operasyon oswa pwosedi w la. Suiv enstriksyon pwofesyonèl swen sante w la.

Ekip swen w lan ap kontwole nivo sik nan san ou pandan operasyon oswa pwosedi w la.

## Medikaman GLP-1 pou pèdi pwa

Li enpòtan pou di pwofesyonèl swen sante w la si w ap pran medikaman GLP-1 an. W ap bezwen swiv yon rejim pou manje espesyal ak enstriksyon pou bwè anvan operasyon oswa pwosedi w la. Li enpòtan anpil pou w suiv enstriksyon sa yo. Si w pa swiv yo, yo ka voye operasyon w oswa pwosedi w lan nan yon lòt dat oswa anile l.

- Swiv yon rejim likid klè lavèy jou operasyon oswa pwosedi w lan. Pa manje okenn manje solid. Li *Clear Liquid Diet* ([www.mskcc.org/cancer-care/patient-education/clear-liquid-diet](http://www.mskcc.org/cancer-care/patient-education/clear-liquid-diet)) pou w aprann plis.
- Sispann bwè likid 8 èdtan anvan ou rive. Pa manje ni bwè anyen aprè fwa sa a, sa enkli ladan l likid klè. Ou ka pran ti gout dlo avèk medikaman w yo.

Pou w aprann plis, li *Eating and Drinking Before Your Surgery or Procedure When Taking GLP-1 Medicines* ([www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines](http://www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines)).

Men kèk egzanjp medikaman GLP-1. Genyen lòt, kidonk asire w ke ekip swen

sante w la konnen tout medikaman w ap pran yo. Pafwa, yo konn preskri medikaman sa yo pou ede jere dyabèt oswa lòt maladi. Lòt fwa, yo konn preskri yo pou pèdi pwa.

- Semaglitid (Wegovy®, Ozempic®, Rybelsus®)
- Dilaglitid (Trulicity®)

- Tirzepatid (Zepbound®, Mounjaro®)
- Liraglitid (Saxenda®, Victoza®)

## Di pwofesyonèl swen sante w lan si w gen yon AICD.

Di pwofesyonèl swen sante MSK ou a si ou gen yon defibrilatè otomatik ki enplante (AICD).

## Pran yon lèt nan men doktè w la, si sa nesesè.

- Si ou gen yon defibrilatè otomatik ki enplante (AICD), w ap bezwen yon lèt otorizasyon de kadyològ ou a (doktè kè a) anvan pwosedi ou a. Yon lèt otorizasyon se yon lèt ki di ou kapab fè pwosedi a san danje.
- Si ou gen doulè nan lestomak, tèt vire, pwoblèm pu respire, oubyen ou endispoze andan 6 semèn ki sot pase yo, fòk doktè ou egzamine w, epi li dwe ba w yon lèt otorizasyon anvan pwosedi w la.

Klinik doktè MSK ou an dwe genyen lèt otorizasyon w lan omwen 1 jou anvan pwosedi w la.

## Fè aranjman pou yon moun mennen ou lakay ou

Ou dwe genyen yon moun ki responsab laswenyay ou ki pou mennen ou lakay ou apre pwosedi w la. Yon moun ki responsab laswenyay ou se yon moun ki kapab ede ou ale lakay ou san danje. Li ta dwe an mezi pou li kontakte ekip swen w lan si li genyen nenpòt pwoblèm. Asire ou planifye sa anvan jou pwosedi w la rive.

Si ou pa gen yon moun ki responsab laswenyay ou ki pou mennen ou lakay ou, rele youn nan ajans anba yo. Yo ap voye yon moun ale lakay ou avèk ou. Yo mande yon frè pou sèvis sa a, epi ou ap oblije bay mwayen transpò. Pa gen pwoblèm pou w pran yon taksi oswa itilize sèvis machin, men ou ap toujou bezwen yon moun ki responsab laswenyay avèk ou.

Ajans nan New York yo  
VNS Health: 888-735-8913  
Caring People: 877-227-4649

Ajans nan New Jersey yo  
Caring People: 877-227-4649

## 3 jou anvan pwosedi w la

Yon enfimyè andoskopi ap rele w ant 8 è nan maten ak 6 è aprèmidi, 3 jou anvan pwosedi w la. Y ap revize enstriksyon ki nan gid sa avè w epi y ap poze w kesyon sou antesedan medikal ou. Enfimyè a ap revize medikaman w yo tou. Y ap di w ki medikaman pou pran nan maten jou pwosedi w la.

Itilize espas ki anba a pou ekri yo.

---

---

---

## Jou anvan pwosedi w la

### Note lè pwosedi w la

Yon manm pèsònèl la ap rele w aprè 12 è (midi) lavèy jou pwosedi w la. Manm pèsònèl la ap di w a ki lè ou ta dwe vini pou fè pwosedi w la. Si pwosedi w la pwograme pou lendi, y ap rele w nan jou vandredi anvan an. Si yo pa rele w, rele biwo pwofesyonèl swen sante w lan.

Si ou bezwen anile pwosedi w la, rele biwo planifikasyon gastwoentewoloji a nan 212-639-5020.”

### Enstriksyon pou manje

Enpòtan Si ou pran medikaman GLP-1 an, pa swiv enstriksyon sa yo. Swiv enstriksyon nan *Eating and Drinking Before Your Surgery or Procedure When Taking GLP-1 Medicines* ([www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines](http://www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines)) pito.



Sispann manje a minwi (12è nan maten) lavèy nwit operasyon oswa pwosedi ou a. Ss enkli ladan l sirèt ak chiklèt.

Moun k ap ba w swen sante a kapab ba w plizyè enstriksyon sou kilè pou sispann manje. Nan ka sa a, swiv enstriksyon yo ba w yo. Gen kèk moun ki bezwen fè jèn (pa manje) pandan plis tan anvan

operasyon oswa pwosedi yo an.

## Jou pwosedi w la

### Enstriksyon pou bwè

Enpòtan Si ou pran medikaman GLP-1 an, pa swiv enstriksyon sa yo. Swiv enstriksyon nan *Eating and Drinking Before Your Surgery or Procedure When Taking GLP-1 Medicines* ([www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines](http://www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines)) pito.

Ant minwi (12è nan maten) epi de 2 èdtan anvan ou rive, bwè sèlman likid ki nan lis ki pi ba a. Pa manje ni bwè okenn lòt bagay. Sispann bwè likid de 2 èdtan anvan ou rive.

- Dlo.
- Ji pòm ki klè, ji rezen ki klè, oubyen ji krannberri ki klè
- Gatorade oubyen Powerade.
- Kafè nwa oubyen te senp. Se pa yon pwoblèm si w ajoute sik ladan l. Pa

ajoute okenn lòt bagay ladan l.

- Pa ajoute okenn kantite nan okenn kalite lèt oubyen krèm ladan l. Sa gen ladan l lèt ak krèm ki abaz plant yo.
- Pa ajoute siwo ki bay gou.

Si ou souffri dyabèt, fè atansyon ak kantite sik ki nan bwason w ap bwè yo. Li ap fasil pou w kontwole nivo sik ki nan san ou si ou konsome vèsyon nan bwason sa yo ki pa gen sik, ki gen tikal sik, oubyen vèsyon ki pa sik yo ajoute yo.

Li bon pou ou rete idrate anvan operasyon ak pwosedi yo, kidonk bwè si ou swaf. Pa bwè depase. Y ap ba ou likid nan venn (nan venn) pandan operasyon oubyen pwosedi ou an.



Sispann bwè likid 2 èdtan anvan ou rive. Sa enkli ladan l dlo.

Moun k ap ba w swen an te kapab ba w plizyè enstriksyon sou kilè pou sispann bwè. Nan ka sa a, swiv enstriksyon yo ba w yo.

## Bagay pou w sonje

- Pran sèlman medikaman pwofesyonèl swen sante w la te di pou te pran jou maten pwosedi w la. Pran yo avèk kèk ti gòje dlo.
- Pa mete okenn losyon, krèm, poud, makiyaj, pafen oubyen dlo kolòy.
- Retire nenpòt bijou ou gen sou ou, tankou pising ki nan kò ou.
- Kite bagay ki gen valè (tankou kat kredi ak bijou) lakay ou.
- Si ou pote vè kontak, mete linèt pito.

## Sa pou w pote

- Yon lis medikaman ou pran lakay ou, li enkli ladan l plak medikal ak krèm.
- Ponp inalatè ijans (tankou albuterol pou opresyon), si ou gen youn.
- Yon bwat pou mete linèt ou.
- Fòm Pwokirasyon Swen Sante ou, si w te ranpli youn.

# Kote pou w ale

Andoskopi pou pati anlè lestomak ou ap fèt nan youn nan kote sa yo:

- **David H. Koch Center**  
530 East 74<sup>th</sup> Street  
New York, NY 10021  
Pran asansè pou monte nan 8yèm etaj la.
- **Endoscopy Suite nan Memorial Hospital (lopital prensipal MSK a)**  
1275 York Avenue (ant East 67<sup>th</sup> and East 68<sup>th</sup> Streets)  
New York, NY 10065  
Pran asansè B a pou monte nan 2yèm etaj la. Vire adwat ep antre nan inite Andoskopi/Lopital Chiriji Lajounen an atravè pòt an vit yo.
- **MSK Monmouth**  
480 Red Hill Road  
Middletown, NJ 07748

Ale sou [www.msk.org/parking](http://www.msk.org/parking) pou w jwenn enfòmasyon sou pakin ak itinerè pou tout kote MSK chita kò l yo.

## **Sa pou w atann**

### **Depi ou rive**

Depi w rive, y ap mande w anpil fwa pou bay non w epi eple l, ansanm ak dat ou fèt. Se pou sekirite ou. Moun ki gen menm non yo oswa non ki sanble yo gendwa ap fè pwosedi yo menm jou a.

Aprè ou fin mete rad lopital la, ou pral rankontre ak yon enfimyè. Y ap mete yon katetè pou venn ou (IV) anndan youn nan venn ou yo, jeneralman nan men w oubyen nan bra w. Yo pral itilize IV a pou ba w anestezi (medikaman ki pou fè w dòmi) pandan pwosedi ou a. Ou ka pran likid tou atravè IV a anvan pwosedi ou a.

W ap pale ak doktè w la anvan pwosedi w la. Y ap eksplike w pwosedi a epi y ap reponn kesyon w yo.

### **Pandan pwosedi w la**

Depi lè pwosedi a rive, w ap antre nan sal pwosedi a epi y ap ede w monte sou tab egzamen an. Pwofesyonèl swen sante w la pral plase yon ekipman pou kontwole kè w, respirasyon w ak tansyon w. Ou pral jwenn oksijèn atravè yon tib fen ki ap chita anba nen w. Y ap ba w tou yon pwoteksyon pou bouch ke y ap plase sou dan w pou pwoteje yo.

Y ap ba w anestezi nan IV ou a , sa ki pral fè w dòmi. Yon fwa dòmi pran w, doktè w la pral pase andoskòp la atravè bouch ou. Li pral desann nan ezofaj ou, nan lestomak ou ak nan ti trip ou. Doktè w la ap fè plizyè byopsi pou l ka jwenn echantyon tisi, si sa nesèsè. Aprè sa y ap retire andoskòp la.

## **Aprè pwosedi ou a**

Enfimyè w lan ap kontinye kontwole kè w, respirasyon w ak tansyon w. Ou ka santi ti doulè nan gòj ou. Si ou ta santi l, doulè a ta dwe ale nan 1 ou 2 jou.

Depi je ou klè nèt, enfimyè w la ap retire sewòm ou an. Enfimyè w la ap eksplike

w enstriksyon egzayat ou a anvan ou ale lakay ou.

## Lè ou rive lakay ou

Pa bwè bwason ki gen alkòl panda 24 èdtan (1 jou) aprè pwosedi w la.

## Lè pou rele pwofesyonèl swen sante ou

Rele pwofesyonèl swen sante w la si w gen youn nan bagay sa yo:

- Yon fyèv 101 °F (38.3 °C) oubyen ki pi wo ke sa
- Doulè lestomak oubyen souf kout (mal pou respire)
- Gwo doulè, abdomèn ou ki di oubyen anfle (vant)
- San nan vomisman w (vomi)
- Feblès, endispozisyon, oubyen toulède
- Nenpòt lòt kesyon oubyen enkyetid

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.

Pou w jwenn plis resous, ale sou [www.mskcc.org/pe](http://www.mskcc.org/pe) pou w fè rechèch nan bibliyotèk vityèl nou an.

About Your Upper Endoscopy - Last updated on November 24, 2025

Se Memorial Sloan Kettering Cancer Center ki posede ak rezève tout dwa yo