

2020年12月31日，本公司在2020年度内，按照《企业会计准则》的规定，对本公司在2020年度内发生的各项交易，按照公允价值进行计量，并按照公允价值进行披露。

- [illegible]

2023 年 12 月 31 日，本公司应收账款账面余额为 1,234,567.89 元，坏账准备余额为 123,456.78 元，应收账款净额为 1,111,111.11 元。

□□□□□ □□□□□ □□□ □□□□□. □□□□□ □□□□□

[illegible]

1. $\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$
2. $\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$



1.

3. 100%
4. 30% 100%, 100%
 100%, 100% 1 100%
 5-5 100%.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ . □ □ □ □ □ □ □ □ □

■■ ■■ ■■■ ■■■■ ■■■■■ ■■■■■■ ■■■■■■■ ■■■■■■■■ 2 **■■■■ ■■■■ ■■■■ ■■■■**

1. $\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$
2. $\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$



2. **Shoulder Stretch:**
 Stand with feet hip-width apart. Raise right arm overhead and bend elbow, reaching hand toward the back of the head. Hold for 30 seconds. Repeat on the left side.

3. **Neck Stretch:** Stand with feet hip-width apart. Tilt head to the right, holding the right side of the neck with the left hand. Hold for 30 seconds. Repeat on the left side.
4. **Triceps Stretch:** Stand with feet hip-width apart. Bend right arm at the elbow, with the hand reaching toward the back of the head. Hold for 30 seconds. Repeat on the left side.

Shoulder and Neck Stretches:
 Stand with feet hip-width apart. Raise right arm overhead and bend elbow, reaching hand toward the back of the head. Hold for 30 seconds. Repeat on the left side.

1. **Neck Stretch:** Stand with feet hip-width apart. Tilt head to the right, holding the right side of the neck with the left hand. Hold for 30 seconds. Repeat on the left side.
2. **Triceps Stretch:** Stand with feet hip-width apart. Bend right arm at the elbow, with the hand reaching toward the back of the head. Hold for 30 seconds. Repeat on the left side.
3. **Shoulder Stretch:** Stand with feet hip-width apart. Raise right arm overhead and bend elbow, reaching hand toward the back of the head. Hold for 30 seconds. Repeat on the left side.




3. 30 seconds

4. 30 seconds
5. 30 seconds


30 seconds



1. 30 seconds
2. 30 seconds



4.





()

4. 30 

6.  1 
 5 

[illegible]


6.

4.  |
5.  |
-  10  |

■■ ■■ ■■■ ■■■■

1. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
2. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$



4.  1 

[illegible]

A cartoon illustration of a woman with brown hair, wearing a light blue tank top and white pants. She has eight arms in total, four on each side, all extended outwards. Each arm is holding a small, light blue rectangular object. Large, curved arrows on either side of her arms indicate a circular motion, suggesting a cycle or a continuous process.

8. $\frac{1}{2} \times \frac{3}{4} = \frac{3}{8}$

10/13

$\square \square \quad \square \square \square \square \quad \square \square \square \square \square \square \square \square \quad 2 \quad \square \square \square \square \quad \square \square \square \square \mid$

-

[illegible]

After your neck surgery, you will need to take some time to rest and recover. Your doctor will give you instructions on how to care for your neck and how to manage any pain or discomfort you may experience. It is important to follow these instructions carefully to ensure a smooth recovery. You may need to take pain medication for a few days, but this should not be a problem if you take it as directed. You will also need to avoid any activities that could strain your neck, such as heavy lifting or bending over. Your doctor will let you know when it is safe to return to work or school. In the meantime, you can help your recovery by keeping your neck in a neutral position and using ice packs to reduce swelling. If you have any questions or concerns, please contact your doctor or the MSK Patient Education Center at 212-639-2000.

For more information, visit www.mskcc.org/pe.

Exercises After Your Neck Surgery - Last updated on February 7, 2022

These exercises are designed to help you regain strength and flexibility in your neck after surgery. They should be performed as directed by your physical therapist. It is important to stop if you experience any pain or discomfort.