


1. 在 2023 年 12 月 31 日之前，所有在 2023 年 12 月 31 日之前已经发生但未入账的应付账款，应当在 2023 年 12 月 31 日之前入账。

- 在 2023 年 12 月 31 日之前，所有在 2023 年 12 月 31 日之前已经发生但未入账的应付账款，应当在 2023 年 12 月 31 日之前入账。
- 在 2023 年 12 月 31 日之前，所有在 2023 年 12 月 31 日之前已经发生但未入账的应付账款，应当在 2023 年 12 月 31 日之前入账。
- 在 2023 年 12 月 31 日之前，所有在 2023 年 12 月 31 日之前已经发生但未入账的应付账款，应当在 2023 年 12 月 31 日之前入账。
- 在 2023 年 12 月 31 日之前，所有在 2023 年 12 月 31 日之前已经发生但未入账的应付账款，应当在 2023 年 12 月 31 日之前入账。

2. 在 2023 年 12 月 31 日之前，所有在 2023 年 12 月 31 日之前已经发生但未入账的应付账款，应当在 2023 年 12 月 31 日之前入账。



1. The paranasal sinuses are air-filled spaces within the bones of the face and skull.

The paranasal sinuses are divided into four groups: frontal, ethmoid, sphenoid, and maxillary.

The frontal sinuses are located in the frontal bone, above the eyebrows. The ethmoid sinuses are located in the ethmoid bone, between the eyes. The sphenoid sinuses are located in the sphenoid bone, behind the eyes. The maxillary sinuses are located in the maxilla, below the eyes.

The paranasal sinuses are connected to the nasal cavity by small openings called ostia. The frontal sinuses drain into the middle meatus of the nasal cavity. The ethmoid sinuses drain into the middle meatus. The sphenoid sinuses drain into the superior meatus. The maxillary sinuses drain into the middle meatus. The paranasal sinuses are important for the production and drainage of mucus, and for the regulation of the pressure within the nasal cavity.

The paranasal sinuses are also important for the production and drainage of mucus, and for the regulation of the pressure within the nasal cavity.

2020 年 12 月 31 日，公司合并资产负债表显示，公司总资产为 1,000,000 万元，净资产为 500,000 万元，资产负债率为 50%。

- 2020 年 12 月 31 日，公司合并利润表显示，公司营业收入为 1,000,000 万元，营业成本为 500,000 万元，营业利润为 500,000 万元，净利润为 300,000 万元。
- 2020 年 12 月 31 日，公司合并现金流量表显示，公司经营活动产生的现金流量净额为 100,000 万元，投资活动产生的现金流量净额为 -50,000 万元，筹资活动产生的现金流量净额为 50,000 万元。
- 2020 年 12 月 31 日，公司合并所有者权益变动表显示，公司所有者权益总额为 500,000 万元，其中实收资本为 300,000 万元，资本公积为 100,000 万元，盈余公积为 50,000 万元，未分配利润为 50,000 万元。
- 2020 年 12 月 31 日，公司合并资产负债表显示，公司总资产为 1,000,000 万元，净资产为 500,000 万元，资产负债率为 50%。
- 2020 年 12 月 31 日，公司合并利润表显示，公司营业收入为 1,000,000 万元，营业成本为 500,000 万元，营业利润为 500,000 万元，净利润为 300,000 万元。
- 2020 年 12 月 31 日，公司合并现金流量表显示，公司经营活动产生的现金流量净额为 100,000 万元，投资活动产生的现金流量净额为 -50,000 万元，筹资活动产生的现金流量净额为 50,000 万元。
- 2020 年 12 月 31 日，公司合并所有者权益变动表显示，公司所有者权益总额为 500,000 万元，其中实收资本为 300,000 万元，资本公积为 100,000 万元，盈余公积为 50,000 万元，未分配利润为 50,000 万元。

2020 年 12 月 31 日，公司合并资产负债表显示，公司总资产为 1,000,000 万元，净资产为 500,000 万元，资产负债率为 50%。2020 年 12 月 31 日，公司合并利润表显示，公司营业收入为 1,000,000 万元，营业成本为 500,000 万元，营业利润为 500,000 万元，净利润为 300,000 万元。2020 年 12 月 31 日，公司合并现金流量表显示，公司经营活动产生的现金流量净额为 100,000 万元，投资活动产生的现金流量净额为 -50,000 万元，筹资活动产生的现金流量净额为 50,000 万元。2020 年 12 月 31 日，公司合并所有者权益变动表显示，公司所有者权益总额为 500,000 万元，其中实收资本为 300,000 万元，资本公积为 100,000 万元，盈余公积为 50,000 万元，未分配利润为 50,000 万元。

2020 年 12 月 31 日，公司合并资产负债表显示，公司总资产为 1,000,000 万元，净资产为 500,000 万元，资产负债率为 50%。

- 2020 年 12 月 31 日，公司合并利润表显示，公司营业收入为 1,000,000 万元，营业成本为 500,000 万元，营业利润为 500,000 万元，净利润为 300,000 万元。
- 2020 年 12 月 31 日，公司合并现金流量表显示，公司经营活动产生的现金流量净额为 100,000 万元，投资活动产生的现金流量净额为 -50,000 万元，筹资活动产生的现金流量净额为 50,000 万元。
- 2020 年 12 月 31 日，公司合并所有者权益变动表显示，公司所有者权益总额为 500,000 万元，其中实收资本为 300,000 万元，资本公积为 100,000 万元，盈余公积为 50,000 万元，未分配利润为 50,000 万元。

[illegible]

The study was conducted in a tertiary care hospital, and the data were collected from the medical records of patients who had been diagnosed with a brain tumor. The study was approved by the Institutional Review Board (IRB) of the hospital. The study was conducted in a tertiary care hospital, and the data were collected from the medical records of patients who had been diagnosed with a brain tumor. The study was approved by the Institutional Review Board (IRB) of the hospital.

24 20 30
 (1 1/2)

This section will help you get ready for your surgery. Read it when your surgery is scheduled. Refer to it as your surgery gets closer. It has important information about what to do to get ready.

As you read this section, write down questions to ask your healthcare provider.

Getting ready for surgery

You and your care team will work together to get ready for your surgery. Help us keep you safe by telling us if any of these things apply to you, even if you’re not sure.

- I take any prescription medicines. A prescription medicine is one you can only get with a prescription from a healthcare provider. Examples include:
 - Medicines you swallow.
 - Medicines you take as an injection (shot).
 - Medicines you inhale (breathe in).
 - Medicines you put on your skin as a patch or cream.
- I take any over-the-counter medicines, including patches and creams. An over-the-counter medicine is one you can buy without a prescription.
- I take any dietary supplements, such as herbs, vitamins, minerals, or natural or home remedies.
- I have a pacemaker, automatic implantable cardioverter-defibrillator (AICD), or other heart device.
- I have had a problem with anesthesia (A-nes-THEE-zhuh) in the past. Anesthesia is medicine to make you sleep during a surgery or procedure.
- I’m allergic to certain medicines or materials, including latex.
- I’m not willing to receive a blood transfusion.
- I use recreational drugs, such as marijuana.

Always be sure your healthcare providers know all the medicines and supplements you’re taking.

You may need to follow special instructions before surgery based on the medicines and supplements you take. If you do not follow those instructions, your surgery may be delayed or canceled.

■■■■ ■■■■■■■ ■■■ GLP-1 ■■■■■■■■■■
■■■■■ ■■■■■■■ GLP-1 ■■■■■■ ■■■■■■■■ ■■ ■■■■ ■■■■■■ ■■■■■■
■■■■■■■ ■■■■■■■■■■ ■■■■ ■■■■■■■■ ■■■■■■■■■■■■■■■■■ ■■■■ |

1. **Clear Liquid Diet** (also called **Clear Liquid Diet**) is a diet that allows you to eat and drink clear liquids only. This diet is used to prepare your colon for surgery. You will be asked to eat this diet for 3 to 5 days before your surgery.

- **Clear Liquid Diet** (also called **Clear Liquid Diet**) is a diet that allows you to eat and drink clear liquids only. This diet is used to prepare your colon for surgery. You will be asked to eat this diet for 3 to 5 days before your surgery.

(www.mskcc.org/cancer-care/patient-education/clear-liquid-diet)
- **Clear Liquid Diet** (also called **Clear Liquid Diet**) is a diet that allows you to eat and drink clear liquids only. This diet is used to prepare your colon for surgery. You will be asked to eat this diet for 3 to 5 days before your surgery.

(www.mskcc.org/cancer-care/patient-education/clear-liquid-diet)

2. **Eating and Drinking Before Your Surgery or Procedure When Taking GLP-1 Medicines** (www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines)

3. **GLP-1 Medicines** (also called **GLP-1 Medicines**) are a type of medicine that helps control blood sugar levels. These medicines are used to treat type 2 diabetes.

• GLP-1 Medicines (also called GLP-1 Medicines) are a type of medicine that helps control blood sugar levels. These medicines are used to treat type 2 diabetes. • GLP-1 Medicines (also called GLP-1 Medicines) are a type of medicine that helps control blood sugar levels. These medicines are used to treat type 2 diabetes.	• GLP-1 Medicines (also called GLP-1 Medicines) are a type of medicine that helps control blood sugar levels. These medicines are used to treat type 2 diabetes. • GLP-1 Medicines (also called GLP-1 Medicines) are a type of medicine that helps control blood sugar levels. These medicines are used to treat type 2 diabetes.
--	--

About drinking alcohol

It's important to talk with your healthcare providers about how much alcohol you drink. This will help us plan your care.

If you drink alcohol regularly, you may be at risk for problems during and after your surgery. These include bleeding, infections, heart problems, and a longer hospital stay.

If you drink alcohol regularly and stop suddenly, it can cause seizures, delirium, and death. If we know you're at risk for these problems, we can prescribe medicine to help prevent them.

Here are things you can do before your surgery to keep from having problems.

- Be honest with your healthcare providers about how much alcohol you drink.
- Try to stop drinking alcohol once your surgery is planned. Tell your healthcare provider right away if you:
 - Get a headache.
 - Feel nauseous (like you're going to throw up).
 - Feel more anxious (nervous or worried) than usual.
 - Cannot sleep.

These are early signs of alcohol withdrawal and can be treated.

- Tell your healthcare provider if you cannot stop drinking.
- Ask your healthcare provider questions about drinking and surgery. All your medical information will be kept private, as always.

About smoking

If you smoke or use an electronic smoking device, you can have breathing problems when you have surgery. Vapes and e-cigarettes are examples of electronic smoking devices. Stopping for even a few days before surgery can help prevent breathing problems during and after surgery.

Your healthcare provider will refer you to our [Tobacco Treatment Program](#) if you

smoke. You can also reach the program by calling 212-610-0507.

About sleep apnea

Sleep apnea is a common breathing problem. If you have sleep apnea, you stop breathing for short lengths of time while you're asleep. The most common type is obstructive sleep apnea (OSA). With OSA, your airway becomes fully blocked during sleep.

OSA can cause serious problems during and after surgery. Tell us if you have or think you might have sleep apnea. If you use a breathing device, such as a CPAP machine, bring it on the day of your surgery.

Using MSK MyChart

MSK MyChart (mskmychart.mskcc.org) is MSK's patient portal. You can use it to send and read messages from your care team, view your test results, see your appointment dates and times, and more. You can also invite your caregiver to make their own account so they can see information about your care.

If you do not have an MSK MyChart account, you can sign up at mskmychart.mskcc.org. You can also ask a member of your care team to send you an invitation.

If you need help with your account, call the MSK MyChart Help Desk at 646-227-2593. They are available Monday through Friday between 9 a.m. and 5 p.m. (Eastern time).

■■■■■■■■ ■■■■■■■■ ■■■ 30 ■■■■■■■■ ■■■ ■■■■■■

Presurgical testing (PST)

You'll have a PST appointment before your surgery. You'll get a reminder from your surgeon's office with the appointment date, time, and location. Visit www.msk.org/parking for parking information and directions to all MSK locations.

You can eat and take your usual medicines the day of your PST appointment.

It's helpful to bring these things to your appointment:

- A list of all the medicines you're taking, including prescription and over-the-

counter medicines, patches, and creams.

- Results of any medical tests done outside of MSK in the past year, if you have them. Examples include results from a cardiac stress test, echocardiogram, or carotid doppler study.
- The names and telephone numbers of your healthcare providers.

You'll meet with an advance practice provider (APP) during your PST appointment. They work closely with MSK's anesthesiology (A-nes-THEE-zee-AH-loh-jee) staff. These are doctors with special training in using anesthesia during a surgery or procedure.

Your APP will review your medical and surgical history with you. You may have tests to plan your care, such as:

- An electrocardiogram (EKG) to check your heart rhythm.
- A chest X-ray.
- Blood tests.

Your APP may recommend you see other healthcare providers. They'll also talk with you about which medicine(s) to take the morning of your surgery.

Identify your caregiver

Your caregiver has an important role in your care. Before your surgery, you and your caregiver will learn about your surgery from your healthcare providers. After your surgery, your caregiver will take you home when you're discharged. They'll also help you care for yourself at home.

For caregivers



Caring for a person going through cancer treatment comes with many responsibilities. We offer resources and support to help you manage them. Visit www.msk.org/caregivers or read *A Guide for Caregivers* (www.mskcc.org/cancer-care/patient-education/guide-caregivers) to learn more.

Fill out a Health Care Proxy form

If you have not already filled out a Health Care Proxy form, we recommend you do now. If you already filled one out or have any other advance directives, bring them to your next appointment.

A health care proxy is a legal document. It says who will speak for you if you cannot communicate for yourself. This person is called your health care agent.

- To learn about health care proxies and other advance directives, read *Advance Care Planning for People With Cancer and Their Loved Ones* (www.mskcc.org/cancer-care/patient-education/advance-care-planning).
- To learn about being a health care agent, read *How to Be a Health Care Agent* (www.mskcc.org/cancer-care/patient-education/how-be-health-care-agent).

Talk with a member of your care team if you have questions about filling out a Health Care Proxy form.

■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■■■■■ ■■■■ |
■■■■■ ■■■■■■ ■■■ ■■■■■■■■ ■■■■■■ ■■■ ■■■ ■■■ ■■■■
■■ ■■■■■■ ■■■■ | ■■■■ ■■■■■■■■ ■■■ ■■■■■ ■■, ■■■ ■■■■
■■■ ■■■ ■■■■■■■■■■■■■ ■■■■■■■■■■ ■■■ ■■■■■■ |

Do physical activity

Doing physical activity will help your body get into its best condition for your surgery. It will also make your recovery faster and easier.

Try to do physical activity every day. Any activity that makes your heart beat faster, such as walking, swimming, or biking, is a good choice. If it’s cold outside, use stairs in your home or go to a mall or shopping center.

Follow a healthy diet

Follow a well-balanced, healthy diet before your surgery. If you need help with your diet, talk with your healthcare provider about meeting with a clinical dietitian nutritionist.

■■■■■■■■ ■■■■■■■ ■■■■ 7 ■■■■ ■■■■■■■■

Follow your healthcare provider’s instructions for taking aspirin

Aspirin can cause bleeding. If you take aspirin or a medicine that has aspirin, you may need to change your dose or stop taking it 7 days before your surgery. Follow your healthcare provider’s instructions. Do not stop taking aspirin unless they tell you to.

To learn more, read *How To Check if a Medicine or Supplement Has Aspirin, Other NSAIDs, Vitamin E, or Fish Oil* (www.mskcc.org/cancer-care/patient-education/common-medications-containing-aspirin-and-other-nonsteroidal-anti-inflammatory-drugs-nsaids).

Stop taking vitamin E, multivitamins, herbal remedies, and other dietary supplements

Vitamin E, multivitamins, herbal remedies, and other dietary supplements can cause bleeding. Stop taking them 7 days before your surgery. If your healthcare provider gives you other instructions, follow those instead.

To learn more, read *Herbal Remedies and Cancer Treatment* (www.mskcc.org/cancer-care/patient-education/herbal-remedies-and-treatment).

■■■■■■■■ ■■■■■■ ■■■■ 2 ■■■■ ■■■■■■■■

Stop taking nonsteroidal anti-inflammatory drugs (NSAIDs)

NSAIDs, such as ibuprofen (Advil® and Motrin®) and naproxen (Aleve®), can cause bleeding. Stop taking them 2 days before your surgery. If your healthcare provider gives you other instructions, follow those instead.

To learn more, read *How To Check if a Medicine or Supplement Has Aspirin, Other NSAIDs, Vitamin E, or Fish Oil* (www.mskcc.org/cancer-care/patient-education/common-medications-containing-aspirin-and-other-nonsteroidal-anti-inflammatory-drugs-nsaids).

■■■■■■■■ ■■■■■■ ■■■■ 1 ■■■■ ■■■■■■■■

■■■■■ ■■■■■■ ■■ ■■■■■ ■■■■ ■■■■ ■■■■

■■■■■■■ ■■■■■■ ■■■■ ■■■■ ■■■■ ■■■■■■■■ ■■■■■■■■ ■■■■ 2

■■■ ■■■■ ■■■■, ■■■■■■ ■■ ■■■■ ■■■■ ■■■■

■■■■■■■■ ■■■■ ■■■■■■ | ■■ ■■■■■■ ■■■■■■ ■■■■■■■■

■■■ ■■■■ ■■ ■■, ■■■■ ■■ ■■■■■■■■ ■■ ■■■■ ■■■■■■■■

MSK is a leading cancer center in the world. We are located at 1275 York Ave, Box 34, New York, NY 10021. For more information, call 212-639-5014 or visit www.mskcc.org.

MSK is a leading cancer center in the world. We are located at 1275 York Ave, Box 34, New York, NY 10021. For more information, call 212-639-5014 or visit www.mskcc.org.

MSK is a leading cancer center in the world. We are located at 1275 York Ave, Box 34, New York, NY 10021. For more information, call 212-639-5014 or visit www.mskcc.org.

MSK is a leading cancer center in the world. We are located at 1275 York Ave, Box 34, New York, NY 10021. For more information, call 212-639-5014 or visit www.mskcc.org.


MSK is a leading cancer center in the world. We are located at 1275 York Ave, Box 34, New York, NY 10021. For more information, call 212-639-5014 or visit www.mskcc.org.

Important Information: If you are taking GLP-1 medications, you may need to adjust your diet and fluid intake before surgery or procedure. For more information, visit www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines.



MSK is a leading cancer center in the world. We are located at 1275 York Ave, Box 34, New York, NY 10021. For more information, call 212-639-5014 or visit www.mskcc.org.

MSK is a leading cancer center in the world. We are located at 1275 York Ave, Box 34, New York, NY 10021. For more information, call 212-639-5014 or visit www.mskcc.org.

[illegible]

A member of your care team will tell you which medicines to take the morning of your surgery. Take only those medicines with a sip of water. Depending on what you usually take, this may be all, some, or none of your usual morning medicines.

- **2010-2011** **2012-2013** **2014-2015** **2016-2017** **2018-2019** **2020-2021** **2021-2022** **2022-2023** **2023-2024** **2024-2025** **2025-2026** **2026-2027** **2027-2028** **2028-2029** **2029-2030** **2030-2031** **2031-2032** **2032-2033** **2033-2034** **2034-2035** **2035-2036** **2036-2037** **2037-2038** **2038-2039** **2039-2040** **2040-2041** **2041-2042** **2042-2043** **2043-2044** **2044-2045** **2045-2046** **2046-2047** **2047-2048** **2048-2049** **2049-2050** **2050-2051** **2051-2052** **2052-2053** **2053-2054** **2054-2055** **2055-2056** **2056-2057** **2057-2058** **2058-2059** **2059-2060** **2060-2061** **2061-2062** **2062-2063** **2063-2064** **2064-2065** **2065-2066** **2066-2067** **2067-2068** **2068-2069** **2069-2070** **2070-2071** **2071-2072** **2072-2073** **2073-2074** **2074-2075** **2075-2076** **2076-2077** **2077-2078** **2078-2079** **2079-2080** **2080-2081** **2081-2082** **2082-2083** **2083-2084** **2084-2085** **2085-2086** **2086-2087** **2087-2088** **2088-2089** **2089-2090** **2090-2091** **2091-2092** **2092-2093** **2093-2094** **2094-2095** **2095-2096** **2096-2097** **2097-2098** **2098-2099** **2099-2100** **2100-2101** **2101-2102** **2102-2103** **2103-2104** **2104-2105** **2105-2106** **2106-2107** **2107-2108** **2108-2109** **2109-2110** **2110-2111** **2111-2112** **2112-2113** **2113-2114** **2114-2115** **2115-2116** **2116-2117** **2117-2118** **2118-2119** **2119-2120** **2120-2121** **2121-2122** **2122-2123** **2123-2124** **2124-2125** **2125-2126** **2126-2127** **2127-2128** **2128-2129** **2129-2130** **2130-2131** **2131-2132** **2132-2133** **2133-2134** **2134-2135** **2135-2136** **2136-2137** **2137-2138** **2138-2139** **2139-2140** **2140-2141** **2141-2142** **2142-2143** **2143-2144** **2144-2145** **2145-2146** **2146-2147** **2147-2148** **2148-2149** **2149-2150** **2150-2151** **2151-2152** **2152-2153** **2153-2154** **2154-2155** **2155-2156** **2156-2157** **2157-2158** **2158-2159** **2159-2160** **2160-2161** **2161-2162** **2162-2163** **2163-2164** **2164-2165** **2165-2166** **2166-2167** **2167-2168** **2168-2169** **2169-2170** **2170-2171** **2171-2172** **2172-2173** **2173-2174** **2174-2175** **2175-2176** **2176-2177** **2177-2178** **2178-2179** **2179-2180** **2180-2181** **2181-2182** **2182-2183** **2183-2184** **2184-2185** **2185-2186** **2186-2187** **2187-2188** **2188-2189** **2189-2190** **2190-2191** **2191-2192** **2192-2193** **2193-2194** **2194-2195** **2195-2196** **2196-2197** **2197-2198** **2198-2199** **2199-2200** **2200-2201** **2201-2202** **2202-2203** **2203-2204** **2204-2205** **2205-2206** **2206-2207** **2207-2208** **2208-2209** **2209-2210** **2210-2211** **2211-2212** **2212-2213** **2213-2214** **2214-2215** **2215-2216** **2216-2217** **2217-2218** **2218-2219** **2219-2220** **2220-2221** **2221-2222** **2222-2223** **2223-2224** **2224-2225** **2225-2226** **2226-2227** **2227-2228** **2228-2229** **2229-2230** **2230-2231** **2231-2232** **2232-2233** **2233-2234** **2234-2235** **2235-2236** **2236-2237** **2237-2238** **2238-2239** **2239-2240** **2240-2241** **2241-2242** **2242-2243** **2243-2244** **2244-2245** **2245-2246** **2246-2247** **2247-2248** **2248-2249** **2249-2250** **2250-2251** **2251-2252** **2252-2253** **2253-2254** **2254-2255** **2255-2256** **2256-2257** **2257-2258** **2258-2259** **2259-2260** **2260-2261** **2261-2262** **2262-2263** **2263-2264** **2264-2265** **2265-2266** **2266-2267** **2267-2268** **2268-2269** **2269-2270** **2270-2271** **2271-2272** **2272-2273** **2273-2274** **2274-2275** **2275-2276** **2276-2277** **2277-2278** **2278-2279** **2279-2280** **2280-2281** **2281-2282** **2282-2283** **2283-2284** **2284-2285** **2285-2286** **2286-2287** **2287-22**

XXXXXXXXXX XXXXXXXX XXXXXXXX , XXX XXXXXX XXX XXXXXXX XXX XXXXXXX XXXXXXX

- [illegible]

■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■

- 2010-2011 年 10 月 1 日至 2011 年 10 月 31 日 |
- 2012 年 1 月 1 日至 2012 年 12 月 31 日 (2012 年 1 月 1 日至 2012 年 12 月 31 日 CPAP 使用率), 2013 年 1 月 1 日至 2013 年 12 月 31 日 |
- 2014 年 1 月 1 日至 2014 年 12 月 31 日 (2014 年 1 月 1 日至 2014 年 12 月 31 日 CPAP 使用率), 2015 年 1 月 1 日至 2015 年 12 月 31 日 |
- 2016 年 1 月 1 日至 2016 年 12 月 31 日 |
- 2017 年 1 月 1 日至 2017 年 12 月 31 日 (2017 年 1 月 1 日至 2017 年 12 月 31 日 CPAP 使用率) 2018 年 1 月 1 日至 2018 年 12 月 31 日 |
- 2019 年 1 月 1 日至 2019 年 12 月 31 日 (2019 年 1 月 1 日至 2019 年 12 月 31 日 CPAP 使用率), 2020 年 1 月 1 日至 2020 年 12 月 31 日 (2020 年 1 月 1 日至 2020 年 12 月 31 日 CPAP 使用率), 2021 年 1 月 1 日至 2021 年 12 月 31 日 (2021 年 1 月 1 日至 2021 年 12 月 31 日 CPAP 使用率) 2022 年 1 月 1 日至 2022 年 12 月 31 日 |
- 2023 年 1 月 1 日至 2023 年 12 月 31 日 (2023 年 1 月 1 日至 2023 年 12 月 31 日 CPAP 使用率) 2024 年 1 月 1 日至 2024 年 12 月 31 日 |

Once you're comfortable, your anesthesiologist will give you anesthesia through your IV line and you'll fall asleep. You'll also get fluids through your IV line during and after your surgery.

[illegible]

QUESTION

This section will help you know what to expect after your surgery. You'll learn how to safely recover from your surgery both in the hospital and at home.

As you read this section, write down questions to ask your healthcare provider.

In the Post-Anesthesia Care Unit (PACU)

You'll be in the PACU when you wake up after your surgery. A nurse will keep track of your temperature, pulse, blood pressure, and oxygen levels. You may get oxygen through a tube resting below your nose or a mask over your nose and mouth. You may also have compression boots on your lower legs.

PACU IV
 |
 (PCA)
 , *Patient-Controlled Analgesia (PCA)*
 (www.mskcc.org/cancer-care/patient-education/patient-controlled-analgesia-pca)
 |

■■■■■ ■■■ ■■■ ■■■■■ ■■■■■■ 1 ■■■ ■■■ ■■■■■■:

- 2019年12月，中共中央、国务院印发《关于营造更好发展环境支持民营企业发展的意见》，提出“健全民营企业信用体系，完善失信惩戒机制”。
- 2020年10月，中共中央、国务院印发《关于营造更好发展环境支持民营企业发展的意见》，提出“健全民营企业信用体系，完善失信惩戒机制”。
- 2021年10月，中共中央、国务院印发《关于营造更好发展环境支持民营企业发展的意见》，提出“健全民营企业信用体系，完善失信惩戒机制”。
- 2022年10月，中共中央、国务院印发《关于营造更好发展环境支持民营企业发展的意见》，提出“健全民营企业信用体系，完善失信惩戒机制”。
- 2023年10月，中共中央、国务院印发《关于营造更好发展环境支持民营企业发展的意见》，提出“健全民营企业信用体系，完善失信惩戒机制”。

THE UNIVERSITY OF CHICAGO

XXXXXXXXXX XXXXXXXXXX XXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX / XXX , XXXXXXXXXX XXXXXXXXXX

When you are in PACU, you will be monitored by a nurse and a respiratory therapist. PACU nurses will monitor your vital signs, level of consciousness, and pain. The respiratory therapist will monitor your breathing and oxygen levels. You will be kept comfortable and safe.

After surgery, you will be taken to PACU. The PACU nurse will monitor your vital signs, level of consciousness, and pain. The respiratory therapist will monitor your breathing and oxygen levels. You will be kept comfortable and safe. You will be kept in PACU until you are stable enough to be moved to the floor.

When you are in PACU, you will be monitored by a nurse and a respiratory therapist. PACU nurses will monitor your vital signs, level of consciousness, and pain. The respiratory therapist will monitor your breathing and oxygen levels. You will be kept comfortable and safe.

After surgery, you will be taken to PACU. The PACU nurse will monitor your vital signs, level of consciousness, and pain. The respiratory therapist will monitor your breathing and oxygen levels. You will be kept comfortable and safe. You will be kept in PACU until you are stable enough to be moved to the floor.

When you are in PACU, you will be monitored by a nurse and a respiratory therapist. PACU nurses will monitor your vital signs, level of consciousness, and pain. The respiratory therapist will monitor your breathing and oxygen levels. You will be kept comfortable and safe. [Call! Don't Fall!](http://www.mskcc.org/cancer-care/patient-education/call-dont-fall) (www.mskcc.org/cancer-care/patient-education/call-dont-fall)

After surgery, you will be taken to PACU. The PACU nurse will monitor your vital signs, level of consciousness, and pain. The respiratory therapist will monitor your breathing and oxygen levels. You will be kept comfortable and safe. You will be kept in PACU until you are stable enough to be moved to the floor. IV PCA will be started. PCA is a pump that allows you to control your pain relief. You will be kept comfortable and safe. You will be kept in PACU until you are stable enough to be moved to the floor. (You will be kept in PACU until you are stable enough to be moved to the floor.)

When you are in PACU, you will be monitored by a nurse and a respiratory therapist. PACU nurses will monitor your vital signs, level of consciousness, and pain. The respiratory therapist will monitor your breathing and oxygen levels. You will be kept comfortable and safe.

[education/how-use-your-incentive-spirometer](#)) to learn more.

- Do coughing and deep breathing exercises. A member of your care team will teach you how.

[illegible]

Age Group	Number of People
10-14	100
15-19	90
20-24	80
25-29	70
30-34	60
35-39	50
40-44	40
45-49	30
50-54	20
55-59	15
60-64	10
65-69	8
70-74	6
75-79	4
80-84	3
85-89	2
90-94	1
95-99	1

[illegible]

□ □ □ □ □ □

- [illegible]

■■■■■■■■■■ ■■■■ ■■■■ ■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■ ■■■■■■■■■■
■■■■■■■■■■■■■■■■■■■■ ■■■■■■■■■■ ■■■■ ■■■■■■■■■■ ■■■■ ■■■■■■■■■■
■■■■■■■■■■■■■■ ■■ ■■■■■■■■■■ ■■■■■■■■■■ |

■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■ ■■■■■■ ■■ ■■■■■■■■■■
■■■■■■■■ ■■■■■■■■■■ ■■ ■■■■■■■■■■ ■■, ■■■■ ■■■■■■■■■■ ■■■■■■■■■■
■■■■■■■■■■■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■ ■■■■■■■■■■ ■■ ■■■■■■■■■■ ■■ |
■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■ ■■■■ ■■ ■■■■ ■■■■■■■■■■ ■■■■■■■■■■
■■■■■ ■■■■■■■■■■■■■■ ■■■■■■■■■■ |

At home

Read *What You Can Do to Avoid Falling* (www.mskcc.org/cancer-care/patient-education/what-you-can-do-avoid-falling) to learn what you can do to keep from falling at home and during your appointments at MSK.

■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■

We want to know how you're feeling after you leave the hospital. To help us care for you, we'll send questions to your MSK MyChart account. We'll send them every day for 10 days after you're discharged. These questions are known as your Recovery Tracker.

Fill out your Recovery Tracker every day before midnight (12 a.m.). It only takes 2 to 3 minutes to complete. Your answers to these questions will help us understand how you're feeling and what you need.

Based on your answers, we may reach out to you for more information. Sometimes, we may ask you to call your surgeon's office. You can always contact your surgeon's office if you have any questions.

To learn more, read *Common Questions About MSK's Recovery Tracker* (www.mskcc.org/cancer-care/patient-education/mymsk-recovery-tracker).

■■■■■ ■■■■ ■■■■■■■■■■ ■■■■■■■■■■ ■■ ■■■■■■■■■■
■■■ ■■■■■■■■■■ ■■■■ ■■■■ ■■■■ ■■■■■■■■■■ ■■■■-■■■■ ■■■■■■■■■■
■■■■ ■■■■ ■■■■■■■■■■ ■■ | ■■■■ ■■■■ ■■■■ ■■■■■■■■■■ ■■ ■■■■■■■■■■
■■■■■■■■■■-■■■■■■■■■ ■■■■ ■■ ■■■■■■■■■■ ■■ ■■■■ ■■■■■■■■■■ ■■■■■■■■■■

Preventing and managing constipation

Talk with your healthcare provider about how to prevent and manage constipation. You can also follow these guidelines.

- Go to the bathroom at the same time every day. Your body will get used to going at that time. But if you feel like you need to go, don't put it off.
- Try to use the bathroom 5 to 15 minutes after meals. After breakfast is a good time to go. That's when the reflexes in your colon are strongest.
- Exercise, if you can. Walking is a great type of exercise that can help prevent and manage constipation.
- Drink 8 to 10 (8-ounce) cups (2 liters) of liquids daily, if you can. Choose water, juices (such as prune juice), soups, and milkshakes. Limit liquids with caffeine, such as coffee and soda. Caffeine can pull fluid out of your body.
- Slowly increase the fiber in your diet to 25 to 35 grams per day. Unpeeled fruits and vegetables, whole grains, and cereals contain fiber. If you have an ostomy or recently had bowel surgery, ask your healthcare provider before changing your diet.
- Both over-the-counter and prescription medicines can treat constipation. Ask your healthcare provider before taking any medicine for constipation. This is very important if you have an ostomy or have had bowel surgery. Follow the instructions on the label or from your healthcare provider. Examples of over-the-counter medicines for constipation are:
 - Docusate sodium (Colace®). This is a stool softener (medicine that makes your bowel movements softer) that causes few side effects. You can use it to help prevent constipation. Do not take it with mineral oil.
 - Polyethylene glycol (MiraLAX®). This is a laxative (medicine that causes bowel movements) that causes few side effects. Take it with 8 ounces (1 cup) of a liquid. Only take it if you're already constipated.
 - Senna (Senokot®). This is a stimulant laxative, which can cause cramping. It's best to take it at bedtime. Only take it if you're already constipated.

If any of these medicines cause diarrhea (loose, watery bowel movements),

stop taking them. You can start again if you need to.

[illegible][illegible][illegible]

QUESTION

_____.

- [illegible]

[illegible][illegible]

■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■

1. 在 2019 年 12 月 31 日，本集团持有的金融资产和负债的公允价值如下：
 2. 金融资产
 3. 金融资产按公允价值计量，公允价值变动计入当期损益。
 4. 金融资产按公允价值计量，公允价值变动计入当期损益。
 5. 金融资产按公允价值计量，公允价值变动计入当期损益。
 6. 金融资产按公允价值计量，公允价值变动计入当期损益。

7. 金融资产按公允价值计量，公允价值变动计入当期损益。
 8. 金融资产按公允价值计量，公允价值变动计入当期损益。
 9. 金融资产按公允价值计量，公允价值变动计入当期损益。
 10. 金融资产按公允价值计量，公允价值变动计入当期损益。
 11. 金融资产按公允价值计量，公允价值变动计入当期损益。
 12. 金融资产按公允价值计量，公允价值变动计入当期损益。
 13. 金融资产按公允价值计量，公允价值变动计入当期损益。
 14. 金融资产按公允价值计量，公允价值变动计入当期损益。
 15. 金融资产按公允价值计量，公允价值变动计入当期损益。

16. 金融资产按公允价值计量，公允价值变动计入当期损益。
 17. 金融资产按公允价值计量，公允价值变动计入当期损益。
 18. 金融资产按公允价值计量，公允价值变动计入当期损益。
 19. 金融资产按公允价值计量，公允价值变动计入当期损益。
 20. 金融资产按公允价值计量，公允价值变动计入当期损益。
 21. 金融资产按公允价值计量，公允价值变动计入当期损益。
 22. 金融资产按公允价值计量，公允价值变动计入当期损益。
 23. 金融资产按公允价值计量，公允价值变动计入当期损益。

24. 金融资产按公允价值计量，公允价值变动计入当期损益。
 25. 金融资产按公允价值计量，公允价值变动计入当期损益。

26. 金融资产按公允价值计量，公允价值变动计入当期损益。
 27. 金融资产按公允价值计量，公允价值变动计入当期损益。
 28. 金融资产按公允价值计量，公允价值变动计入当期损益。
 29. 金融资产按公允价值计量，公允价值变动计入当期损益。
 30. 金融资产按公允价值计量，公允价值变动计入当期损益。

- 金融资产按公允价值计量，公允价值变动计入当期损益。
- 金融资产按公允价值计量，公允价值变动计入当期损益。
- 金融资产按公允价值计量，公允价值变动计入当期损益。
- 金融资产按公允价值计量，公允价值变动计入当期损益。
- 金融资产按公允价值计量，公允价值变动计入当期损益。

31. 金融资产按公允价值计量，公允价值变动计入当期损益。
 32. 金融资产按公允价值计量，公允价值变动计入当期损益。

33. 金融资产按公允价值计量，公允价值变动计入当期损益。

1. 在 2019 年 12 月 31 日，公司
 2. 2019 年 12 月 31 日，公司
 3. 2019 年 12 月 31 日，公司
 4. 2019 年 12 月 31 日，公司

- 10 月 1 日 (2019 年 4.5 月 1 日) 公司 2019 年 12 月 31 日
- 2019 年 12 月 31 日 (2019 年 12 月 31 日) 公司 2019 年 12 月 31 日
- 2019 年 12 月 31 日 (2019 年 12 月 31 日) 公司 2019 年 12 月 31 日

2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日

2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日

2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日

2019 年 12 月 31 日，公司 2019 年 12 月 31 日
 2019 年 12 月 31 日，公司 2019 年 12 月 31 日

□ □ □ □ □ □ |

Going back to work

Talk with your healthcare provider about your job. They'll tell you when it may be safe for you to start working again based on what you do. If you move around a lot or lift heavy objects, you may need to stay out a little longer. If you sit at a desk, you may be able to go back sooner.

□ □ □ □ □ □ □ □ □ □

2020 年 12 月 31 日，本公司 2020 年年度股东大会审议通过《关于 2020 年度利润分配预案的议案》，决定 2020 年度利润分配预案为：以 2020 年 12 月 31 日总股本 60,000,000 股为基数，向全体股东每 10 股派发现金股利人民币 0.50 元（含税），共计派发现金股利人民币 3,000,000.00 元。

2020 年 12 月 31 日，本公司 2020 年年度股东大会审议通过《关于 2020 年度利润分配预案的议案》，决定以 2020 年 12 月 31 日总股本 100,000,000 股为基数，向全体股东每 10 股派发现金股利人民币 1.00 元（含税），共计派发现金股利人民币 10,000,000.00 元。该预案尚需 2021 年 6 月召开的 2020 年年度股东大会审议通过后方可实施。

2019 年 12 月 31 日，公司应收账款账面余额为 10,000,000.00 元，坏账准备余额为 1,000,000.00 元，计提比例为 10.00%。

2020 年 12 月 31 日，公司 2020 年度利润分配方案为：以 2020 年 12 月 31 日总股本 100,000,000 股为基数，向全体股东每 10 股派发现金股利 0.50 元（含税），共计派发现金股利 5,000,000.00 元。

[illegible]

■■■■■■ ■■■■■■ ■■■■ ■■■■■■ ■■ ■■■■■■■■■■ ■■■■ ■■■■■■■■■■
 ■■■■■■ ■■ ■■■■ ■■■■ ■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■ |
 ■■■■ ■■■■■■■■ ■■■■ ■■■■ ■■■■■■■■■■ ■■, ■■■■ ■■ ■■■■■■■■
 ■■■■ ■■■■■■■■ ■■■■■■ ■■■■■■ ■■■■ ■■ ■■■■■■■■ ■■■■■■,
 ■■■■■■ ■■■■ ■■■■■■ ■■ ■■■■ ■■ ■■■■ | ■■ ■■■■ ■■■■,
 ■■■■■■■■ ■■■■■■ ■■■■ ■■■■■■■■ ■■■■■■ ■■■■■■ ■■■■ ■■■■
 ■■■■ ■■ ■■■■ ■■■■■■■■ ■■ ■■■■■■■■■■■■■■■■■■ ■■■■■■ ■■■■■■■■ |

2020 年 12 月 31 日，公司 2020 年度利润分配方案为：以 2020 年 12 月 31 日总股本 100,000,000 股为基数，向全体股东每 10 股派发现金股利 0.50 元（含税），共计派发现金股利 5,000,000.00 元。

- 
- 
- 

1. The first part of the document is a header section containing the title "THE FIRST PART OF THE DOCUMENT" and the subtitle "A REPORT ON THE PROGRESS OF THE WORK".

[illegible][illegible]

■■■■ ■■■■■■ ■■■■■■■■ ■■ ■■■■■■ ■■■■ ■■■■■■, ■■■■■■■■
 ■■■■■■ ■■■■ ■■■■■■■■■■ ■■■■ ■■■■■■■■ ■■■■■■■■■■ ■■
 ■■■■■■■■ ■■ | ■■■■■■ ■■■■■■ ■■■■ ■■■■■■■■ ■■ ■■ ■■■■■■
 ■■■■ ■■■■ ■■ ■■■■ ■■■■■■, ■■■■■■, ■■■■■■■■, ■■■■■■■■,
 ■■■■■■■■■■■■ ■■■■ ■■■■■■■■ ■■■■ | ■■■■■■■■■■ ■■■■ ■■■■
 ■■■■■■ ■■ ■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■■■■■ ■■■■ ■■■■■■■■■■
 ■■■■ ■■■■■■ ■■■■■■■■ ■■ ■■■■■■ | ■■■■■■■■■■ ■■■■■■■■ ■■■■, ■■■■

MSK is a leading cancer center, and we are committed to providing the best care for our patients. We are currently seeking experienced professionals to join our team. For more information, please contact us at 646-888-0200 or visit our website at www.mskcc.org.

MSK is a leading cancer center, and we are committed to providing the best care for our patients. We are currently seeking experienced professionals to join our team. For more information, please contact us at 646-888-0200 or visit our website at www.mskcc.org.

MSK is a leading cancer center, and we are committed to providing the best care for our patients. We are currently seeking experienced professionals to join our team. For more information, please contact us at 646-888-0200 or visit our website at www.mskcc.org.

MSK is a leading cancer center, and we are committed to providing the best care for our patients. We are currently seeking experienced professionals to join our team. For more information, please contact us at 646-888-0200 or visit our website at www.mskcc.org.

www.mskcc.org/experience/living-beyond-cancer/services-survivors

MSK is a leading cancer center, and we are committed to providing the best care for our patients. We are currently seeking experienced professionals to join our team. For more information, please contact us at 646-888-0200 or visit our website at www.mskcc.org.

- **2010-2011** **2012-2013** **2014-2015** **2016-2017** **2018-2019** **2020-2021** **2022-2023** **2024-2025** **2026-2027** **2028-2029** **2030-2031** **2032-2033** **2034-2035** **2036-2037** **2038-2039** **2040-2041** **2042-2043** **2044-2045** **2046-2047** **2048-2049** **2050-2051** **2052-2053** **2054-2055** **2056-2057** **2058-2059** **2060-2061** **2062-2063** **2064-2065** **2066-2067** **2068-2069** **2070-2071** **2072-2073** **2074-2075** **2076-2077** **2078-2079** **2080-2081** **2082-2083** **2084-2085** **2086-2087** **2088-2089** **2090-2091** **2092-2093** **2094-2095** **2096-2097** **2098-2099** **2100-2101** **2102-2103** **2104-2105** **2106-2107** **2108-2109** **2110-2111** **2112-2113** **2114-2115** **2116-2117** **2118-2119** **2120-2121** **2122-2123** **2124-2125** **2126-2127** **2128-2129** **2130-2131** **2132-2133** **2134-2135** **2136-2137** **2138-2139** **2140-2141** **2142-2143** **2144-2145** **2146-2147** **2148-2149** **2150-2151** **2152-2153** **2154-2155** **2156-2157** **2158-2159** **2160-2161** **2162-2163** **2164-2165** **2166-2167** **2168-2169** **2170-2171** **2172-2173** **2174-2175** **2176-2177** **2178-2179** **2180-2181** **2182-2183** **2184-2185** **2186-2187** **2188-2189** **2190-2191** **2192-2193** **2194-2195** **2196-2197** **2198-2199** **2200-2201** **2202-2203** **2204-2205** **2206-2207** **2208-2209** **2210-2211** **2212-2213** **2214-2215** **2216-2217** **2218-2219** **2220-2221** **2222-2223** **2224-2225** **2226-2227** **2228-2229** **2230-2231** **2232-2233** **2234-2235** **2236-2237** **2238-2239** **2240-2241** **2242-2243** **2244-2245** **2246-2247** **2248-2249** **2250-2251** **2252-2253** **2254-2255** **2256-2257** **2258-2259** **2260-2261** **2262-2263** **2264-2265** **2266-2267** **2268-2269** **2270-2271** **2272-2273** **2274-2275** **2276-2277** **2278-2279** **2280-2281** **2282-2283** **2284-2285** **2286-2287** **2288-2289** **2290-2291** **2292-2293** **2294-2295** **2296-2297** **2298-2299** **2300-2301** **2302-2303** **2304-2305** **2306-2307** **2308-2309** **2310-2311** **2312-2313** **2314-2315** **2316-2317** **2318-2319** **2320-2321** **2322-2323** **2324-2325** **2326-2327** **2328-2329** **2330-2331** **2332-2333** **2334-2335** **2336-2337** **2338-2339** **2340-2341** **2342-2343** **2344-2345** **2346-2347** **2348-2349** **2350-2351** **2352-2353** **2354-2355** **2356-2357** **2358-2359** **2360-2361** **2362-2363** **2364-2365** **2366-2367** **2368-2369** **2370-2371** **2372-2373** **2374-2375** **2376-2377** **2378-2379** **2380-2381** **2382-2383** **2384-2385** **2386-2387** **2388-2389** **2390-2391** **2392-2393** **2394-2395** **2396-2397** **2398-2399** **2400-2401** **2402-2403** **2404-2405** **2406-2407** **2408-2409** **2410-2411** **2412-2413** **2414-2415** **2416-2417** **2418-2419** **2420-2421** **2422-2423** **2424-2425** **2426-2427** **2428-2429** **2430-2431** **2432-2433** **2434-2435** **2436-2437** **2438-2439** **2440-2441** **2442-2443** **2444-2445** **2446-2447** **2448-2449** **2450-2451** **2452-2453** **2454-2455** **2456-2457** **2458-2459** **2460-2461** **2462-2463** **2464-2465** **2466-2467** **2468-2469** **2470-2471** **2472-2473** **2474-2475** **2476-2477** **2478-2479** **2480-2481** **2482-2483** **2484-2485** **2486-2487** **2488-2489** **2490-2491** **2492-2493** **2494-2495** **2496-2497** **2498-2499** **2500-2501** **2502-2503** **2504-2505** **2506-2507** **2508-2509** **2510-2511** **2512-2513** **2514-2515** **2516-2517** **2518-2519** **2520-2521** **2522-2523** **2524-2525** **2526-2527** **2528-2529** **2530-2531** **2532-2533** **2534-2535** **2536-2537** **2538-2539** **2540-2541** **2542-2543** **2544-2545** **2546-2547** **2548-2549** **2550-2551** **2552-2553** **2554-25**

2

[illegible][illegible]

- 100.5 °F (38 °C) 100.5 °F (38 °C)
-
-
-
-
-
-
-

■■■■ ■■■■■■ ■ ■■■■■ ■■■ |

• ■■■■■■ ■■ ■■■■■ ■■■ ■■ ■■■■■ ■■■ ■■■■■■ ■■■■■ |

■■■■■■■ ■■■ ■■■■■■■■■■■ ■■■■■■ 9:00 ■■■■ ■■■■ ■■■■■ 5:00

■■■ ■■■ ■■■■■ ■■■■■ ■■■■■■■■■■■ ■■ ■■■■■■ ■■■

■■■■■■ ■■■ | ■■■■■ 5:00 ■■■ ■■■ ■■■■■, ■■■■■■■ ■■■■■,

■■■ ■■■■■■■■ ■■■■■ ■■■, 212-639-2000 '■■■ ■■■ ■■■ ■■■

■■■■ ■■■■ ■■■■■ ■■■■■ ■■■ ■■■■■■■ ■■■■ ■■■■■■■■

■■■■ ■■■■ ■■■■ ■■ ■■■■ |

Support services

This section has a list of support services. They may help you as you get ready for your surgery and recover after your surgery.

As you read this section, write down questions to ask your healthcare provider.

MSK support services

Admitting Office

212-639-7606

Call if you have questions about your hospital admission, such as asking for a private room.

Anesthesia

212-639-6840

Call if you have questions about [anesthesia](#).

Blood Donor Room

212-639-7643

Call for information if you're interested in [donating blood or platelets](#).

Bobst International Center

www.msk.org/international

888-675-7722

We welcome patients from around the world and offer many services to help. If you're an international patient, call for help arranging your care.

Counseling Center

www.msk.org/counseling

646-888-0200

Many people find that counseling helps them. Our Counseling Center offers counseling for individuals, couples, families, and groups. We can also prescribe medicine to help if you feel anxious or depressed. Ask a member of your care team for a referral or call the number above to make an appointment.

Food Pantry Program

646-888-8055

We give food to people in need during their cancer treatment. Talk with a member of your care team or call the number above to learn more.

Integrative Medicine and Wellness Service

www.msk.org/integrativemedicine

Our Integrative Medicine and Wellness Service offers many services to complement (go along with) traditional medical care. For example, we offer music therapy, mind/body therapies, dance and movement therapy, yoga, and touch therapy. Call 646-449-1010 to make an appointment for these services.

You can also schedule a consultation with a healthcare provider in the Integrative Medicine and Wellness Service. They'll work with you to make a plan for creating a healthy lifestyle and managing side effects. Call 646-608-8550 to make an appointment for a consultation.

MSK Library

library.mskcc.org

You can visit our library website or email asklibrarian@mskcc.org to talk with the library reference staff. They can help you find more information about a type of cancer. You can also visit the library's [Patient Education Resource Guide](#).

Nutrition Services

www.msk.org/nutrition

212-639-7312

Our Nutrition Service offers nutritional counseling with one of our clinical dietitian nutritionists. Your clinical dietitian nutritionist will talk with you about your eating

habits. They can also give advice on what to eat during and after treatment. Ask a member of your care team for a referral or call the number above to make an appointment.

Patient and Community Education

www.msk.org/pe

Visit our patient and community education website to search for educational resources, videos, and online programs.

Patient Billing

646-227-3378

Call if you have questions about preauthorization with your insurance company. This is also called preapproval.

Patient Representative Office

212-639-7202

Call if you have questions about the Health Care Proxy form or concerns about your care.

Perioperative Nurse Liaison

212-639-5935

Call if you have questions about MSK releasing any information while you're having surgery.

Private Duty Nurses and Companions

646-357-9272

You can request private nurses or companions to care for you in the hospital and at home. Call to learn more.

Rehabilitation Services

www.msk.org/rehabilitation

Cancers and cancer treatments can make your body feel weak, stiff, or tight. Some can cause lymphedema (swelling). Our physiatrists (rehabilitation medicine doctors), occupational therapists (OTs), and physical therapists (PTs) can help you get back to your usual activities.

- Rehabilitation medicine doctors diagnose and treat problems that affect how

you move and do activities. They can design and help coordinate your rehabilitation therapy program, either at MSK or somewhere closer to home. Call Rehabilitation Medicine (Physiatry) at 646-888-1929 to learn more.

- An OT can help if you're having trouble doing usual daily activities. For example, they can recommend tools to help make daily tasks easier. A PT can teach you exercises to help build strength and flexibility. Call Rehabilitation Therapy at 646-888-1900 to learn more.

Resources for Life After Cancer (RLAC) Program

646-888-8106

At MSK, care does not end after your treatment. The [RLAC Program](#) is for patients and their families who have finished treatment.

This program has many services. We offer seminars, workshops, support groups, and counseling on life after treatment. We can also help with insurance and employment issues.

Sexual Health Programs

Cancer and cancer treatments can affect your sexual health, fertility, or both. MSK's sexual health programs can help you before, during, or after your treatment.

- Our [Female Sexual Medicine and Women's Health Program](#) can help with sexual health problems such as premature menopause or fertility issues. Ask a member of your MSK care team for a referral or call 646-888-5076 to learn more.
- Our [Male Sexual and Reproductive Medicine Program](#) can help with sexual health problems such as erectile dysfunction (ED). Ask a member of your care team for a referral or call 646-888-6024 to learn more.

Social Work

www.msk.org/socialwork

212-639-7020

Social workers help patients, families, and friends deal with common issues for people who have cancer. They provide individual counseling and support groups throughout your treatment. They can help you communicate with children and other family members.

Our social workers can also help refer you to community agencies and programs. If you're having trouble paying your bills, they also have information about financial resources. Call the number above to learn more.

Spiritual Care

212-639-5982

Our chaplains (spiritual counselors) are available to listen, help support family members, and pray. They can contact community clergy or faith groups, or simply be a comforting companion and a spiritual presence. Anyone can ask for [spiritual support](#). You do not have to have a religious affiliation (connection to a religion).

MSK's interfaith chapel is located near Memorial Hospital's main lobby. It's open 24 hours a day. If you have an emergency, call 212-639-2000. Ask for the chaplain on call.

Tobacco Treatment Program

www.msk.org/tobacco

212-610-0507

If you want to quit smoking, MSK has specialists who can help. Call to learn more.

Virtual Programs

www.msk.org/vp

We offer online education and support for patients and caregivers. These are live sessions where you can talk or just listen. You can learn about your diagnosis, what to expect during treatment, and how to prepare for your cancer care.

Sessions are private, free, and led by experts. Visit our website to learn more about Virtual Programs or to register.

External support services

Access-A-Ride

web.mta.info/nyct/paratran/guide.htm

877-337-2017

In New York City, the MTA offers a shared ride, door-to-door service for people with disabilities who can't take the public bus or subway.

Air Charity Network

www.aircharitynetwork.org

877-621-7177

Provides travel to treatment centers.

American Cancer Society (ACS)

www.cancer.org

800-ACS-2345 (800-227-2345)

Offers a variety of information and services, including Hope Lodge, a free place for patients and caregivers to stay during cancer treatment.

Cancer and Careers

www.cancerandcareers.org

646-929-8032

A resource for education, tools, and events for employees with cancer.

CancerCare

www.cancercare.org

800-813-4673

275 Seventh Avenue (Between West 25th & 26th Streets)

New York, NY 10001

Provides counseling, support groups, educational workshops, publications, and financial assistance.

Cancer Support Community

www.cancersupportcommunity.org

Provides support and education to people affected by cancer.

Caregiver Action Network

www.caregiveraction.org

800-896-3650

Provides education and support for people who care for loved ones with a chronic illness or disability.

Corporate Angel Network

www.corpangelnetwork.org

866-328-1313

Offers free travel to treatment across the country using empty seats on corporate jets.

Good Days

www.mygooddays.org

877-968-7233

Offers financial assistance to pay for copayments during treatment. Patients must have medical insurance, meet the income criteria, and be prescribed medicine that's part of the Good Days formulary.

HealthWell Foundation

www.healthwellfoundation.org

800-675-8416

Provides financial assistance to cover copayments, health care premiums, and deductibles for certain medicines and therapies.

Joe's House

www.joeshouse.org

877-563-7468

Provides a list of places to stay near treatment centers for people with cancer and their families.

LGBT Cancer Project

www.lgbtcancer.com

Provides support and advocacy for the LGBT community, including online support groups and a database of LGBT-friendly clinical trials.

LIVESTRONG Fertility

www.livestrong.org/fertility

855-744-7777

Provides reproductive information and support to cancer patients and survivors whose medical treatments have risks associated with infertility.

Look Good Feel Better Program

www.lookgoodfeelbetter.org

800-395-LOOK (800-395-5665)

This program offers workshops to learn things you can do to help you feel better about your appearance. For more information or to sign up for a workshop, call the number above or visit the program's website.

National Cancer Institute

www.cancer.gov

800-4-CANCER (800-422-6237)

National Council on Aging (NCOA)

www.benefitscheckup.org

Provides information and resources for older adults. Offers BenefitsCheckUp®, a free online tool that connects you to prescription assistance programs, including Medicare's Extra Help program.

National LGBT Cancer Network

www.cancer-network.org

Provides education, training, and advocacy for LGBT cancer survivors and those at risk.

Needy Meds

www.needy meds.org

Lists Patient Assistance Programs for brand and generic name medicines.

NYRx

www.health.ny.gov/health_care/medicaid/program/pharmacy.htm

Provides prescription benefits to eligible employees and retirees of public sector employers in New York State.

Patient Access Network (PAN) Foundation

www.panfoundation.org

866-316-7263

Gives help with copayments for patients with insurance.

Patient Advocate Foundation

www.patientadvocate.org

800-532-5274

Provides access to care, financial assistance, insurance assistance, job retention

assistance, and access to the national underinsured resource directory.

Red Door Community (formerly known as Gilda's Club)

www.reddoorcommunity.org

212-647-9700

A place where people living with cancer find social and emotional support through networking, workshops, lectures, and social activities.

RxHope

www.rxhope.com

877-267-0517

Provides assistance to help people get medicines they have trouble affording.

Triage Cancer

www.triagecancer.org

Provides legal, medical, and financial information and resources for cancer patients and their caregivers.

Educational resources

This section lists the educational resources mentioned in this guide. They will help you get ready for your surgery and recover after your surgery.

As you read these resources, write down questions to ask your healthcare provider.

- *Common Questions About MSK's Recovery Tracker* (www.mskcc.org/cancer-care/patient-education/mymsk-recovery-tracker)
- *Advance Care Planning for People With Cancer and Their Loved Ones* (www.mskcc.org/cancer-care/patient-education/advance-care-planning)
- *Call! Don't Fall!* (www.mskcc.org/cancer-care/patient-education/call-dont-fall)
- *How To Check if a Medicine or Supplement Has Aspirin, Other NSAIDs, Vitamin E, or Fish Oil* (www.mskcc.org/cancer-care/patient-education/common-medications-containing-aspirin-and-other-nonsteroidal-anti-inflammatory-drugs-nsaids)
- *Herbal Remedies and Cancer Treatment* (www.mskcc.org/cancer-care/patient-

[education/herbal-remedies-and-treatment](#))

- *How To Use Your Incentive Spirometer* (www.mskcc.org/cancer-care/patient-education/how-use-your-incentive-spirometer)
- *What You Can Do to Avoid Falling* (www.mskcc.org/cancer-care/patient-education/what-you-can-do-avoid-falling)
- **Trismus** (www.mskcc.org/pa/cancer-care/patient-education/trismus)

Trismus is a condition that causes difficulty opening the mouth. It is often caused by muscle spasms or stiffness in the jaw muscles. This can be a common side effect of certain cancer treatments, such as radiation therapy to the head and neck. Trismus can make it difficult to eat, drink, and speak. It is important to talk to your healthcare team if you experience trismus. They can provide advice on how to manage the condition and may recommend physical therapy or medications to help relax the muscles. In some cases, surgery may be necessary to release the tight muscles. Early intervention is key to preventing long-term complications.

For more information, visit www.mskcc.org/pe.

About Your Nasal Cavity and Paranasal Sinus Surgery - Last updated on March 30, 2026

MSKCC is a leading center for the diagnosis and treatment of cancer. Our experts provide the latest in medical and surgical care, as well as clinical trials. We are committed to providing the best possible outcomes for our patients.