Memorial Sloan Kettering Cancer Center

PATIENT & CAREGIVER EDUCATION

About Mutations in the BRIP1 Gene

This information explains how having a mutation in the *BRIP1* gene may affect you and your family.

In this resource, the word “family” means people related to you by blood. They’re not related to you through marriage or adoption. We also call these family members your blood relatives.

Your *BRIP1* gene normally helps prevent cancers. A mutation in this gene causes it to stop working like it should.

It is important to understand that having a mutation in this gene does not mean you will definitely develop cancer. It means that you have an increased risk of developing certain types of cancers. The type of cancer can vary among people who have mutations in this gene, even within the same family.

What is my cancer risk if I have a *BRIP1* mutation?

A *BRIP1* mutation increases your risk for ovarian cancer. A *BRIP1* mutation may also increase your risk for breast cancer, but more research is needed for us to better understand this risk.

While a BRIP1 mutation means you have a somewhat higher risk of developing cancer than the average person, it may not fully explain why your blood relatives have cancer.

As we learn more about these mutations, we may learn they increase the risk for other types of cancers. Your genetic counselor will give you more information about your cancer risk if you have a mutation.

To learn more, read

Hereditary Ovarian and Uterine Cancers:
www.mskcc.org/genetics/ovarian-uterine-cancer

What can I do about my cancer risk if I have a *BRIP1* mutation?

If you have a mutation, your genetic counselor will review your results and your personal and family history of cancer and give you recommendations.

They may discuss having surgery to remove your ovaries to prevent ovarian cancer. If you decide to have surgery, talk with your genetic counselor about the right time to have it. Surgery to remove the ovaries affects fertility (ability to have biological children). If you plan to have biological children, your genetic counselor can talk with you about your options.

Your genetic counselor will also talk with you about whether there are any other screening or prevention options that may be right for you.

What does a *BRIP1* mutation mean for my blood relatives?

If you have a mutation, your biological parents, siblings, and children each have a 50% chance of having the same mutation. Your distant family members may also be at risk for having the same mutation.

Males and females have an equal chance of passing down a mutation in their family. You only need to inherit a mutation from one parent to have an increased risk for cancer.

Your genetic counselor will review your family history and talk with you about whether they recommend genetic testing for your blood relatives.

What does this mean for family planning?

If you have a *BRIP1* mutation and plan to have children, there are options to prevent your children from inheriting the mutation. You may want to consider discussing these options especially if both you and your partner have a *BRIP1* mutation.

If you both have a mutation in the *BRIP1* gene, which is rare, there's a chance your child could be born with a serious condition called Fanconi Anemia (FA). FA is a genetic disorder that can cause birth defects, bone marrow failure, and a risk of cancer. If you already have children, it's unlikely they have FA since this is usually diagnosed early in life. For more information about genetic testing and family planning, talk with your genetic counselor.

What happens if I do not have a mutation?

If you do not have a mutation or if we find a variant of uncertain significance (VUS), your genetic counselor will review your personal and family history of cancer. They'll talk with you about the general cancer screening guidelines you should follow.

A VUS is a change in a gene, but we don't yet know if it is linked with a higher risk for cancer. Most VUS are eventually found to be normal changes that do not affect your health.

Contact information

If you have any questions or concerns, talk with a genetic counselor in the Clinical Genetics Service. You can reach them Monday through Friday from 9 a.m. to 5 p.m. at 646-888-4050.

For more resources, visit www.mskcc.org/pe to search our virtual library.

About Mutations in the BRIP1 Gene - Last updated on July 17, 2023
All rights owned and reserved by Memorial Sloan Kettering Cancer Center