



PATIENT & CAREGIVER EDUCATION

About Mutations in the *SDHB* Gene

This information explains how having a mutation in the *SDHB* gene may affect you and your family.

In this resource, the word “family” means people related to you by blood. They’re not related to you through marriage or adoption. We also call these family members your blood relatives.

Your *SDHB* gene normally helps prevent tumors from developing. A mutation in this gene causes it to stop working like it should.

It is important to understand that having a mutation in this gene does not mean you will definitely develop cancer. It means that you have an increased risk of developing certain types of cancers. The type of cancer can vary among people who have mutations in this gene, even within the same family.

What is my cancer risk if I have an *SDHB* mutation?

If you have a mutation in the *SDHB* gene, this means you have a condition called hereditary paraganglioma-pheochromocytoma (PGL/PCC) syndrome.

SDHB mutations increase your risk for certain types of tumors, including paragangliomas and pheochromocytomas, which are typically benign tumors that affect the neuroendocrine system.

SDHB mutations may also increase your risk for other cancers, but this is less common. Some examples of less common cancers linked to *SDHB* are:

- GISTs (gastrointestinal stromal tumors).
- Kidney cancer.

- Neuroblastoma (NOOR-oh-blas-TOH-muh). Neuroblastoma is a rare pediatric cancer that develops from an early form of nerve cells called neuroblasts.

As we learn more about these mutations, we may learn they increase the risk for other types of cancers. Your genetic counselor will give you more information about your cancer risk if you have a mutation.

What can I do about my cancer risk if I have an *SDHB* mutation?

Your genetic counselor will review your results. They will talk with you about what cancer your mutation is linked to. As we research these mutations, we may learn they raise the risk for other types of cancers.

Your genetic counselor will also review your personal and family history of cancer and give you cancer screening recommendations. They may recommend you start having cancer screenings at a younger age or have them more often than most people. They may also suggest you get specialized screenings to help find cancer as early as possible.

Some examples of these cancer screenings include:

- Magnetic resonance imaging (MRI) scans or computed tomography (CT) scans of the base of the skull, neck, and of the whole body.
- Physical exam with extra attention to blood pressure and any issues involving the abdomen (belly), chest, or neck areas.
- Blood tests and urine (pee) samples.
- Ultrasound or MRIs of your abdomen.

Some of these screenings will happen once a year. Others may happen more or less often. Your genetic counselor will talk with you about screening recommendations and how often you should get them. They will also talk with you about whether there are any other screening or prevention options that may be right for you.

What does an *SDHB* mutation mean for my blood relatives?

If you have a mutation, your biological parents, siblings, and children each have a 50% chance of having the same mutation. Your distant family members may also be at risk for having the same mutation.

Males and females have an equal chance of passing down a mutation in their family. You only need to inherit a mutation from one parent to have an increased risk for cancer.

Your genetic counselor will review your family history and talk with you about whether they recommend genetic testing for your blood relatives.

What does this mean for family planning?

If you have an *SDHB* mutation and plan to have children, there are options to prevent your children from inheriting the mutation. You may want to consider discussing these options, especially if both you and your reproductive partner have an *SDHB* mutation.

There have been a few reports of people who inherited 2 mutations in the *SDHB* gene, one from each parent (called autosomal recessive inheritance), resulting in a syndrome called mitochondrial leukoencephalopathy and complex II deficiency. This syndrome causes damage to the white matter of the brain. This is called leukoencephalopathy.

Because this is rare, the risks associated with having 2 *SDHB* mutations are not well established. We recommend that family members meet with a genetic counselor before having children to discuss the option of genetic testing of the *SDHB* gene.

What happens if I do not have a mutation?

If you do not have a mutation or if we find a variant of uncertain significance (VUS), your genetic counselor will review your personal and family history of cancer. They'll talk with you about the general cancer screening guidelines you should follow.

A VUS is a change in a gene, but we don't yet know if it is linked with a higher risk for cancer. Most VUS are eventually found to be normal changes that do not affect your health.

Contact information

If you have any questions or concerns, talk with a genetic counselor in the Clinical Genetics Service. You can reach them Monday through Friday from 9 a.m. to 5 p.m. at 646-888-4050.

For more resources, visit www.mskcc.org/pe to search our virtual library.

About Mutations in the SDHB Gene - Last updated on December 11, 2024
All rights owned and reserved by Memorial Sloan Kettering Cancer Center