



PATIENT & CAREGIVER EDUCATION

About Pancreatic Enzyme Replacement Therapy (PERT)

This information explains what pancreatic enzyme replacement therapy (PERT) is and how it works.

Your pancreas makes pancreatic enzymes to help you digest food. Some diseases or treatments may stop your pancreas from making or releasing pancreatic enzymes. This can affect how your body digests (breaks down) food. PERT and changes to your diet can help your body make more pancreatic enzymes.

What are the symptoms of not having enough pancreatic enzymes?

You may not have enough pancreatic enzymes if you have symptoms of malabsorption. Malabsorption is not being able to absorb nutrients from food.

Symptoms of malabsorption include:

- Bloating
- Stomach cramps after meals

- More gas than usual, such as burping or flatulence (farting)
- Increase in bowel movements (poop)
- Indigestion (stomach pain)
- Changes in your poop, such as:
 - Steatorrhea (fatty or oily poop)
 - Floating poop
 - Light colored or yellow poop
 - Poop that is looser or softer than usual
- Foul-smelling gas or poop
- Unexplained weight loss

What is PERT?

PERT is a capsule (pill) that replaces the enzymes that are made in your pancreas. In most cases, it's a life-long treatment.

When should I take PERT?

Your healthcare provider may prescribe PERT to help you digest your food. Your prescription will be based on your weight. It may be changed based on your symptoms or how much fat is in the food you eat.

Follow these tips to make sure PERT works as it should:

- **Plan out how long it will take to eat your meal . It's important that pancreatic enzymes move through your digestive system with your food.**
- **Take the first capsule right before or with your first bite of food. The enzymes will not work as well if you take the first capsule at the end of your meal.**
- **Take the second capsule half-way through your meal.**
- **Take the third capsule at the end of your meal.**

How should I take PERT?

- **Swallow the capsules with liquids that are cold or at room temperature. The enzymes in the capsules stop working if they get too hot. You can take them with hot meals. Do not take them with hot liquids.**
- **Do not chew, break, or crush the capsules. This can hurt your mouth. The capsules can be large and sometimes hard to swallow.**
- **If you're having trouble swallowing the capsules, you can:**
 - **Open the capsules. Mix the enzymes with 1 tablespoon of food that does not need to be chewed and can be swallowed right away. These foods include applesauce, yogurt, mashed banana, or baby food fruit purées. Do not let the enzyme stay in your**

mouth. Drink liquids right away to make sure you swallow all the enzyme.

Which foods should I take PERT with?

- **Take PERT with meals and snacks that have fat or protein, such as milk or protein shakes.**
- **Do not take PERT with:**
 - Food or drinks that have pure sugars, such as fruit juice or hard candies.
 - Small bite-sized snacks.
 - Clear drinks with less than 1 teaspoon of milk or creamer.
- **Take a higher dose of PERT with larger meals or high fat meals. High fat meals include fried foods, pastries, fatty meats, such as hamburgers or sausage.**

How do I know if I'm taking enough PERT?

You should see a change in how your poop looks. It should be more solid and flush away easily. You should not have any pain after eating. You should have less gas. You may gain some weight.

Do not stop taking PERT without talking with your healthcare provider. This can affect your nutrition.

What if I still have symptoms after taking PERT?

You may still have gas, bloating, and other symptoms of malabsorption while taking PERT.

Talk with your healthcare provider or clinical dietitian nutritionist if you still have symptoms. You may need a different treatment.

What are side effects of taking PERT?

Often, you will not have side effects after taking PERT. In rare cases, children who take high doses can develop fibrosing colonopathy (large bowel disease). Symptoms include severe abdominal pain, vomiting (throwing up), and bloody diarrhea (loose poop).

The enzyme may irritate your mouth if you chew them or hold them in your mouth for too long.

Who should not take PERT?

PERT has pork products. If you are allergic to pork or follow a vegan, vegetarian, Halal, or Kosher diet, you may need to take a plant-based enzyme replacement therapy.

Talk with your healthcare provider or clinical dietitian nutritionist about your allergy or food restrictions to decide if PERT is right for you.

Talk with your religious leader about a medical exception if you follow a Kosher or other diet that avoids pork

How can I stay at the same weight or gain weight?

You may not absorb all the nutrients from the foods you eat if your pancreas does not make enough enzymes. This can cause weight loss. To help stay at the same weight or gain weight, try these tips:

- Eat smaller meals more often throughout the day.
- Eat solid food before drinking liquids. Liquids can make you feel fuller faster.
- Drink supplement drinks, smoothies, or shakes in between meals. Talk with your healthcare provider about which ones are right for you.
- Set a schedule or reminders for times to eat.
- Eat when you're feeling hungry.
- Add high calorie sauces to your meals, such as barbecue sauce, ketchup, gravy, hummus, dressing, or sour cream.
- Eat breakfast items such as eggs, French toast, or pancakes at any time of day.

How can I add more calories and protein to my diet?

Tips to add extra calories to your food:

- Use full fat dairy, such as butter, cream, whole milk, yogurt, cheese, or evaporated milk.
- Drizzle meals with olive oil.
- Add ice cream to desserts.
- Add nut butter to snacks.
- Add avocado, mayonnaise, sour cream, or other high calorie condiments to crackers or sandwiches.
- Add dried fruit and nuts to oatmeal, cereal, muffins, cookies, or granola.
- Add whipped cream to pudding or custard.
- Add jam, jelly, or honey to crackers, toast, or desserts.

Tips to add extra protein to your food:

- Eat dairy, eggs, nuts, meat, fish, chicken, turkey, or beans.
- Add protein powders to shakes, smoothies, oatmeal, or cake batters.
- Eat a protein bar as a snack.
- Eat Greek yogurt instead of regular yogurt.

- Add seeds or nuts to salads, pastas, vegetables, oatmeal, and desserts.
- Eat crackers with cheese, avocado, or dips that have chicken, eggs, or tuna.
- Eat nuts and seeds, such as almonds, walnuts, peanuts, pistachios, sesame seeds, and pumpkin seeds.

For more on adding extra calories and protein to your diet, read *Eating Well During Your Cancer Treatment* (www.mskcc.org/pe/eating-cancer-treatment).

Financial support for PERT

Treatment with PERT can cost a lot of money. Some insurance plans do not cover the full cost of PERT. To help with the cost, MSK and many enzyme brands offer financial help. You can check their websites to see if you're eligible for support.

For more information, talk with your healthcare provider or clinical dietitian nutritionist. Here is a list of financial programs.

MSK prescription assistance program

Patient Financial Services (PFS) can help you apply for programs offered by drug companies and foundations. They can help cover the cost of co-pays for your prescription medications. To learn more about these

programs, talk with your care team or clinical dietitian nutritionist. They can help you get in touch with a Patient Financial Navigator.

Programs for a brand of medication:

- AbbVie patient assistance (for Creon)
www.abbviepaf.org
- Creon on Course www.creon.com/on-course
- Vivus patient assistance (for Pancreaze)
pancreaze.com/patient-support
- Chiesi CareDirect patient support (for Pertzye)
pertzycare.com/chiesi-caredirect
- Allergan patient assistance (for Zenpep)
www.allergan.com/responsibility/patient-resources/patient-assistance-programs
- Z-Save for Zenpep www.zenpep.com/savings-programs

Other financial support programs:

- Cancer Care: www.cancercare.org/financial_assistance
- NeedyMeds www.needymeds.org
- Medicine Assistance Tool
www.medicineassitancetool.org
- PanCAN Patient Services www.pancan.org/facing-pancreatic-cancer/patient-services/contact-us

Pancreatic enzyme resources

For more information on managing your symptoms and dosing guidelines, visit pancreatic enzyme brand websites:

- Creon: www.creon.com
- Pancreaze: www.pancreaze.com
- Pertzye: www.pertzyecares.com
- Zenpep: www.zenpep.com
- Pancreatic Cancer Action Network (PANCAN)
 - www.pancan.org
 - www.pancan.org/facing-pancreatic-cancer/living-with-pancreatic-cancer/diet-and-nutrition/pancreatic-enzymes
 - (877) 272-6226
- American Cancer Society
 - www.cancer.org/cancer/pancreatic-cancer.html
- National Pancreas Foundation
 - pancreasfoundation.org/patient-information/nutrition-advice-recipes
- FDA Questions and Answers for Pancreatic Enzyme Products
 - www.fda.gov/drugs/postmarket-drug-safety-

[information-patients-and-providers/updated-questions-and-answers-healthcare-professionals-and-public-use-approved-pancreatic-enzyme](#)

Contact information for nutrition services at MSK

You can visit our clinical dietitian nutritionists at our locations in Manhattan, by phone or telemedicine, and at these regional sites:

MSK Basking Ridge

www.mskcc.org/locations/directory/mskcc-basking-ridge

908-542-3000

136 Mountain View Blvd.

Basking Ridge, NJ 07920

MSK Bergen

www.mskcc.org/locations/directory/msk-bergen

201-775-7000

225 Summit Ave.

Montvale, NJ 07645

MSK Monmouth

www.mskcc.org/locations/directory/msk-monmouth

848-225-6000

480 Red Hill Rd.

Middletown, NJ 07748

MSK Commack

www.mskcc.org/locations/directory/msk-commack

631-623-4000

650 Commack Rd.

Commack, NY 11725

MSK Nassau

www.mskcc.org/locations/directory/msk-nassau

516-559-1000

1101 Hempstead Tpk.

Uniondale, NY 1155

MSK Westchester

www.mskcc.org/locations/directory/westchester

914-367-7000

500 Westchester Ave.

West Harrison, NY 10604

To schedule an appointment with a clinical dietitian nutritionist at any of our locations, contact our nutrition scheduling office at 212-639-7312.

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.

For more resources, visit www.mskcc.org/pe to search our virtual library.

About Pancreatic Enzyme Replacement Therapy (PERT) - Last updated on July 18, 2023

All rights owned and reserved by Memorial Sloan Kettering Cancer Center