



PATIENT & CAREGIVER EDUCATION

Ginger

This information describes the common uses of Ginger, how it works, and its possible side effects.

Tell your healthcare providers about any dietary supplements you're taking, such as herbs, vitamins, minerals, and natural or home remedies. This will help them manage your care and keep you safe.

What is it?

Ginger may help relieve or prevent nausea and vomiting.

Ginger root contains compounds that may help relieve or prevent nausea and vomiting. These substances can increase the flow of saliva and digestive juices and may also help calm the stomach and intestines. Some studies have found ginger may help nausea caused by chemotherapy, but larger studies are needed to confirm these effects.

Eating fresh ginger in high doses can have blood-thinning effects by preventing platelets from sticking together. Laboratory studies suggest that ginger can protect brain cells from the plaques that cause Alzheimer's disease, but this effect has not been studied in humans.

What are the potential uses and benefits?

- **To stimulate appetite**

Ginger is known to stimulate saliva flow and digestive secretions, but clinical trials are lacking.

- **To relieve indigestion**

Compounds in ginger are known to stimulate saliva flow and digestive juices, reduce gas, and calm the digestive system, but human data are lacking.

- **To treat diarrhea**

Compounds in ginger are known to calm the digestive system, but clinical data are lacking.

- **To treat nausea and vomiting**

Some studies support the short-term use of ginger for chemotherapy-associated nausea and vomiting and motion sickness. However, ginger supplements should not be used around the time of surgery because of blood-thinning effects. It is also not suggested for use during pregnancy because of risks to the developing embryo.

- **To treat arthritis**

A few studies have been conducted with positive results, but more research is needed.

- **To treat respiratory ailments**

Certain compounds in ginger may reduce inflammation and protect against certain viruses, but human studies are lacking.

- **To treat drug withdrawal symptoms**

A small animal study suggests that ginger may help ease withdrawal symptoms from drugs like morphine. However, clinical data are lacking.

What are the side effects?

- Heartburn
- Skin irritation, swelling, and redness

Case reports

- **Nosebleed, slow blood clotting:** In a 76-year-old woman on long-term blood-thinning therapy who took ginger products. Clotting returned to normal after discontinuing ginger and with vitamin K administration.
- **Severe fatigue and bleeding:** In a 65-year-old patient who was on multiple medications and also took natural products like DHA, blueberry and ginger extract supplements, licorice, and pineapple juice. Some combination of these were determined to contribute to the problem, which was resolved with discontinuation of several products while limiting the intake of others.
- **Fatal bleeding:** In an 80-year-old man on a blood thinner with a history of irregular heartbeat. He presented with 1-day history of vomiting blood and black stool that began 3 days after taking a boiled mixture of ginger and cinnamon.

What else do I need to know?

Patient Warnings:

- Due to its blood-thinning effects, ginger supplements should be stopped **2 weeks before surgery, and should not be used immediately after surgery** to control nausea or vomiting.
- Ginger supplements should be avoided in patients with **bleeding disorders**.
- Ginger supplements should be avoided during **pregnancy** or **lactation**.
- Ginger supplements should be avoided by individuals with **gallstones**.

Do Not Take if:

- You are taking **warfarin** or other **blood thinners**: Ginger supplements may increase the risk of bleeding.
- You are taking **NSAIDs, nonsteroidal anti-inflammatory drugs**: Ginger supplements may increase risk of bleeding when used with these drugs.
- You are taking **insulin** or **medication to lower blood glucose**: Ginger supplements may cause larger reductions in glucose levels. Clinical relevance is not known.
- You are taking **tacrolimus**: Ginger supplements increase the blood levels of this drug and may increase side effects. Clinical relevance is not known.
- You have a **bleeding disorder**: Ginger supplements may increase bleeding time.
- You have **gallstones**: Ginger supplements may increase the flow of bile.
- You are having **surgery**: Ginger supplements may increase risk of bleeding.
- You are **pregnant** or **lactating**: The effect of ginger supplements on human gestational development are unknown.

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.

For more resources, visit www.mskcc.org/pe to search our virtual library.

Ginger - Last updated on June 2, 2022

All rights owned and reserved by Memorial Sloan Kettering Cancer Center