



PATIENT & CAREGIVER EDUCATION

Instructions Before Your Radiation Therapy Appointment With Anesthesia

This information explains how to get ready for your radiation therapy simulation or treatment if you're getting anesthesia (medication to make you sleepy).

If your healthcare provider told you that you would receive anesthesia during your radiation therapy simulation or treatment, follow the instructions in this resource.

Arrange for Someone to Take you Home

You must have a responsible care partner take you home after your appointment. Make sure to plan this before the day of your appointment.

If you don't have someone to take you home, call one of the agencies below. They will send someone to go home with you. There's usually a charge for this service, and you will need to provide transportation.

Agencies in New York

**Agencies in New
Jersey**

Partners in Care: 888-735-8913

Caring People: 877-227-4649

Caring People: 877-227-4649

Instructions for Eating and Drinking Before Your Appointment

- Do not eat anything after midnight the night before your surgery. This includes hard candy and gum.
- Between midnight and up until 2 hours before your scheduled arrival time, you may drink a total of 12 ounces of water (see figure).
- Starting 2 hours before your scheduled arrival time, do not eat or drink anything. This includes water.



Contact Information

If you have any questions or concerns, talk with a member of your healthcare team. You can reach them Monday through Friday from 9:00 AM to 5:00 PM at the numbers listed below.

Radiation oncologist:

Phone number: _____

Radiation nurse: _____

Phone number: _____

After 5:00 PM, during the weekend, and on holidays, call _____ and ask for the radiation oncologist on call. If there's no number listed, or you're not sure, call 212-639-2000.

For more resources, visit www.mskcc.org/pe to search our virtual library.

Instructions Before Your Radiation Therapy Appointment With Anesthesia - Generated on July 17, 2019

©2019 Memorial Sloan Kettering Cancer Center