



---

PATIENT & CAREGIVER EDUCATION

# **Urgent Care Center and Symptom Care Clinic Nursing Discharge Instructions: Urinary Catheter**

This information explains nursing discharge instructions for a urinary catheter from the Urgent Care Center (UCC) or the Symptom Care Clinic (SCC).

## **Urinary Catheter**

Review the patient education information your healthcare provider gave you for instructions on how to care for your urinary (Foley) catheter.

If your catheter comes out, call your MSK healthcare team. Do not try to replace it yourself.

Call your MSK healthcare team or visit the nearest emergency room if you have new or worsening symptoms, such as:

- Abdominal (belly) pain.

- Bright red blood or large blood clots in your urine (pee).
- Bad smelling urine.
- Making less urine than usual.
- Signs of infection, such as a fever of 100.4°F (38°C) or higher, shaking chills, or sweating.

Your care team may direct you to your regional Symptom Care Clinic (SCC) or the Urgent Care Center (UCC).

Follow up with your MSK healthcare team after discharge.

For more information, visit

[www.mskcc.org/pe/caring\\_foley\\_catheter](http://www.mskcc.org/pe/caring_foley_catheter)

You can search for information on this topic and many others in MSK's Patient and Caregiver Education library at [www.mskcc.org/pe](http://www.mskcc.org/pe)

If you have any questions, contact a member of your care team directly. If you're a patient at MSK and you need to reach a provider after 5 p.m., during the weekend, or on a holiday, call 212-639-2000.

For more resources, visit [www.mskcc.org/pe](http://www.mskcc.org/pe) to search our virtual library.

---

Urgent Care Center and Symptom Care Clinic Nursing Discharge Instructions: Urinary Catheter - Last updated on March 21, 2023  
All rights owned and reserved by Memorial Sloan Kettering Cancer Center