

Ready to start planning your care? Call us at [800-525-2225](tel:800-525-2225) to make an appointment.

×



Memorial Sloan Kettering
Cancer Center

[Make an Appointment](#)

[← Back](#)

[Types of Adrenal Tumors](#)

[Request an Appointment & Treatment](#)

[Refer a Patient](#)

ABOUT US

[Our mission, vision & core values](#)

[Leadership](#)

[History](#)

[Equality, diversity & inclusion](#)

[Annual report](#)

[Give to MSK](#)

Symptoms of both types of tumors include:

sweating

headaches

high blood pressure

rapid heart rate

palpitations

anxiety and fear

high blood sugar

In some people, pheochromocytomas cause sudden cardiac arrest or stroke. They can also cause a dangerous surge in adrenaline in intense situations, like during surgery or after experiencing a severe injury.

Multiple endocrine neoplasia and von Hippel-Lindau disease are genetic conditions that can increase the risk of developing pheochromocytomas and other tumors. Our [Clinical Genetics Service](#) can evaluate you if you have signs of these conditions.

Request an Appointment

Call [800-525-2225](tel:800-525-2225)

Available Monday through Friday, 8 a.m. to 6 p.m. (Eastern time)

[Make an Appointment](#)

PREVIOUS

[Adrenal Cortex Tumors & Cushing's Syndrome](#)

NEXT

[Adrenal Cortical Carcinomas](#)

▼ [Connect](#)

[Contact us](#)

[Locations](#)

APPOINTMENTS

[800-525-2225](#)



▼ [About MSK](#)

[About us](#)

[Careers](#) ■

[Giving](#) ■

▼ [Cancer Care](#)

[Adult cancer types](#)

[Child & teen cancer types](#)

[Integrative medicine](#)

[Nutrition & cancer](#)

[Find a doctor](#)

▼ [Research & Education](#)

[Sloan Kettering Institute](#)

[Gerstner Sloan Kettering Graduate School](#) ■

[Graduate medical education](#)

[MSK Library](#) ■

[Communication preferences](#)

[Cookie preferences](#)

[Legal disclaimer](#)

[Accessibility statement](#)

[Privacy policy](#)

[Price transparency](#)

[Public notices](#)

© 2024 Memorial Sloan Kettering Cancer Center