

Ready to start planning your care? Call us at [800-525-2225](tel:800-525-2225) to make an appointment.

×



Memorial Sloan Kettering
Cancer Center

[Make an Appointment](#)

[Back](#)

Diagnosing Chemotherapy-Induced Peripheral Neuropathy

[Learn About Diagnosis & Treatment](#)

[Refer a Patient](#)

ABOUT US

[Our mission, vision & core values](#)

[Leadership](#)

[History](#)

[Equality, diversity & inclusion](#)

[Annual report](#)

[Give to MSK](#)

Physical and occupational therapists may perform several additional tests to assess the impact of chemotherapy-induced peripheral neuropathy on your balance, stability, and fine motor skills. Based on this assessment, your therapists will help you determine your functional goals and select the appropriate therapy to reduce the risk of injury and improve your quality of life.

Connect

[Contact us](#)

[Locations](#)

APPOINTMENTS

[800-525-2225](tel:800-525-2225)



About MSK

[About us](#)

[Careers](#)

[Giving](#)

Cancer Care

[Adult cancer types](#)

[Child & teen cancer types](#)

[Integrative medicine](#)

[Nutrition & cancer](#)

[Find a doctor](#)

Research & Education

[Sloan Kettering Institute](#)

[Gerstner Sloan Kettering Graduate School](#) ■

[Graduate medical education](#)

[MSK Library](#) ■

[Communication preferences](#)

[Cookie preferences](#)

[Legal disclaimer](#)

[Accessibility statement](#)

[Privacy policy](#)

[Price transparency](#)

[Public notices](#)

© 2024 Memorial Sloan Kettering Cancer Center