



□□□□□□□□□□ □□ □□□□□□□□□□□□□□ CVC □□□□□□□□
 -□□□□□□□□ □□□□□□□□ □□□□□□□□□□ □□ □□□□
 -□□□□□□□□□□□□□□□□□□□□ □□□□□□ □□ CVC □□□□
 □□□□□□□□ □□ □□□□□□ □□“□□ ” “ ”,□□□□ □□□□
 -□□□□□□□□

□□□□ □□□□ CVC

□□□□□□□□□□ □□□□(□□□ □□□□,□□□□)□□□□□□□□□□ CVC
 □□□□□□□□ □□ -□□□□ □□□ □□□□□□□□ CVC -□□□□□□□□ □□□□
 -□□□□□□□□□□□□□□ □□□□□□□□ □□□□ □□

□□□□□□ □□ □□□□□□□□□□□□□□ □□□□□□ □□□ CVC □□
 2,1 □□□□□□ □□□□□□□□□□□□□□ -□□□□□□ □□□□ □□□□
 □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□ 3 □□
 □□□□□□, □□□□□□ □□□□ □□□□□□□□ -□□□□□□□ (lumens)
 1 □□□□) □□□□□□□□ □□□□ □□□□, □□□□□□ □□□□
 □□□□, □□□□, □□□□□□□□□□□□□□□□□□□□□□□□□□ - (□□□□□□
 -□□□□□□□□□□



—□□□□ □□(IV)□□□ □□ □□ ●

□□□□ -□□□□□□□□ □□□□□□ □□□□ □□□□□□ □□□ CVC
-□□□□□□ □□□□□□□□□□□□□□□□ □□□□ □□□□□□□□□□
□□□□□□ □□□□□□ □□ CVC□□□□ □□ □□□□□□□□□□ □□
-□□□□□□□□□□□□□□□□□□□□

:□□□□□□□□□□□□

- □□□□□□□□□□ □
- ®SwabCaps□□□□□□,□□□□□□□□□□□□□□ □□□□□ □□□□□ □
- CVC□□□ □

-□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□
□□□□□ □□ □□□□□□□□ □□□□□ □□□□ □□□□□ □□□□□□
□□□□□□ □□ CVC□□□ □□□□□□□□□□□□□□-□□□□□□□□□□□□□□
-□□□□□ □□□□□□ □□ □□□ □□□□□□□□□□ □□□□□□□□□□

□□□□□□□□□□□□□□ □□□□□□□□□□□□
□□

-□□□□□□□□□□ □□□□ □□□ □□□
□□□□□□ □□□□□□□□□□ □□□ □□□□□ □□□□□□□□ □□
□□□□□□ □□□□□□□□□□□□□□□□ -□□□□□□□□□□□□□□□□
-□□□□ □□□□□□□□□□□□□□□□□ □□□ □□ □□

-□□□□□□ □□□□,□□□□□□□□□□□□□□ □□□□□□□□□□□□
□□□□□ □□□ □□□□□□□□□□□□ □□□□□□□□□□□□
□□□□□□□□□□□□ □□□□ □□□□ □□□□,□□□□□□□ □□□□
□□□□□□□□□□□□□□□□ □□ □□□□ □□ □□□□□-□□ □□□□
□□□□□□□□ □□ □□□□□□□□□□-□□□□□□□□□□□□□□□□
-□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□ □□□□□□□□□□ □□□□ □□□□□□□□



□□□□□□□□□□□□□□ □□□ □□□ □□

□□ □□ □□ □□□□□□ □□□□□□, □□□□□□□□□□□□ □□
 - □□□□□□□□□□□□

$\frac{1}{10} \times \frac{1}{10} = \frac{1}{100}$

(□□ □□□□□□□□ □□) Anticoagulants

□□□□□□□□□□ , □□□□□□□□ □□ □□□□□□□□ □□
 □□□ □□-□□□□□□□□□□□□□□□□ □□ □□□□□□□□ □□
 □□□□□□□□□□□□□□ □□□□□□□□□□ □□□ □□ □□□□
 -□□□□□□□□□□□□

[illegible]

--	--	--	--	--	--	--	--

[illegible][illegible][illegible]

NSAIDs are a class of drugs that are used to reduce inflammation, relieve pain, and lower fever. They are commonly used to treat conditions such as arthritis, menstrual pain, and headaches.

(NSAIDs) include drugs like aspirin, ibuprofen, and naproxen. These drugs work by blocking the production of prostaglandins, which are chemicals that cause inflammation and pain.

Common NSAIDs include Motrin (ibuprofen), Advil (ibuprofen), Aleve (naproxen), and Aspirin. NSAIDs can cause side effects such as stomach pain, heartburn, and dizziness. They can also increase the risk of bleeding and stomach ulcers, especially if taken for a long time or in high doses.

How To Check if a Medicine or Supplement Has Aspirin, Other NSAIDs, Vitamin E, or Fish Oil (www.mskcc.org/cancer-care/patient-education/common-medications-containing-aspirin-and-other-nsaids)

Acetaminophen (Tylenol) is a pain reliever that does not have the same risks as NSAIDs. It is often used to treat pain and fever. However, it can cause liver damage if taken in large amounts or for a long time.

Other drugs that can cause stomach problems include corticosteroids, certain antibiotics, and iron supplements. These drugs can irritate the stomach lining and cause ulcers or bleeding. It is important to talk to your doctor if you are taking any of these drugs and experiencing stomach pain or other symptoms.

Herbal Remedies and Cancer Treatment (www.mskcc.org/cancer-care/patient-education/herbal-remedies-and-treatment)

Herbal remedies are plants or plant products that are used to treat medical conditions. Some herbs are used to relieve pain, reduce inflammation, and improve overall health. However, some herbs can interact with cancer treatments and cause side effects. It is important to talk to your doctor before taking any herbal remedies.

□□□□□□□□ □□ □□ □□□□□□□□□□
□□□□□□

□□□□ □□□□ □□□□□□ □□
□□□□□2□□ □□□□ □□ □□ □□□□□□□□ □□ □□ □□□□□□
□□□□□□□□□□□□□□□□ □□□□ □□-□□ □□ □□□□ □□□□
□□□□□□□□7 □□□□ □□-□□□□□□ □□□□□□□□□□
.7606-639-212□□□□ □□□□,□□□□ □□□□

□□ □□□□□□□ □□□□□□□□□□□□□□□□□ □□ □□□□□□
□□□□□ □□□□□□□ □□□□□□□□□□ □□□□ □□□□□□□□
-□□□□□□□□
-□□□□□□□□

:□□□□□□□□□□□□ □□□□□□□□□□ □□

- (PACC)□□□□□□□□ □□□□□□□□ □□□□□□□□ ●
(□□□ □□□□□□□□68th□□□ 67th□□□)□□□□□ □□1275
10065 □□□□□, □□□□□
-□□□□□□□ □□□□□ 9□□□ □□B□□□
□□ □□□□□□□(PSC)□□□□□□□□□□□□□□ □□ ●
(□□□ □□□□□□□□68th□□□ 67th□□□)□□□□□ □□1275
□□□□□10065, □□□□□
-□□□□□□□ □□□□□ 9□□□ □□B□□□

□□□□□□□□ □□□□□□□□□□□□ □□□□□MSK □□□
-□□□□□ www.msk.org/parking□□□

□□□□□□□□□□ □□ □□□□□(CHG)□□□□□ □□4%
□□,(Hibiclens)□□□□□□□□□□□□□□, □□□□□□□□□□
-□□□□□□□□

□□□□ □□%4 □□□□□□□□□□□□,□□□□ □□ □□ □□□□□□□□□□
□□□□□□□□□□□□□□□□ □□□□□□□□□□ □□ □□□□(CHG)
-□□□□□□□□□□,(Hibiclens)

[illegible]

□□□□□□ □□□□□□	□□□□□□□□□□	□□ □□ □□□
6□□□□ □□□□□□□□ □□ □□□□□□□ □□□□□□□□□□ _□□	□□□□□□□□□□	□□□ □□
4□□□□ □□□□□□□□ □□ □□ □□□□□□□□□□□□ _□□ □□□□	□□□□□□□□□□	□□ □□
2□□□□ □□□□□□□□ □□ □□□□□□□□□□□□□□ _□□ □□□□ □□ □□□□	4:□□□□□ □□3□□0 □ (□□□□□□□120)□□□ □□ 6:□□□□□ □□8□□4 □ (□□□□□□□180)□□□ □□ 8:□□□□□ □□13□□9 □ (□□□□□□□240)□□□ □□ □□□□ □□ □□13 □ □□□360)□□□ 12:□□□ □□(□□□□	□□□ □□ □□□ □□□□□□ □□,□□□□ □□□□□□ , □□□□□□ □□□□□□ □□ (□□) , □□ □□□ □□□□□□ □□□□ □□□□□□ □□□□

●
- 呼吸器の設置・調整・点検・清掃・メンテナンス
- 呼吸器の故障・トラブルシューティング
- 呼吸器の安全確認・点検

●
- 呼吸器の点検・調整・清掃・メンテナンス
- 呼吸器の故障・トラブルシューティング

●
- 呼吸器の点検・調整・清掃・メンテナンス

●
- 呼吸器の点検・調整・清掃・メンテナンス

●
- 呼吸器の点検・調整・清掃・メンテナンス
- 呼吸器の故障・トラブルシューティング

●
- 呼吸器の点検・調整・清掃・メンテナンス
- 呼吸器の故障・トラブルシューティング
- BiPAP CPAP

●
- 呼吸器の点検・調整・清掃・メンテナンス
- 呼吸器の故障・トラブルシューティング
- CVC

呼吸器の点検・調整・清掃・メンテナンス

- 呼吸器の点検・調整・清掃・メンテナンス B

●
- 呼吸器の点検・調整・清掃・メンテナンス PACC

●
- 呼吸器の点検・調整・清掃・メンテナンス PSC

呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス

呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス

呼吸器の点検・調整・清掃・メンテナンス

呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス
呼吸器の点検・調整・清掃・メンテナンス

□□□□ □□ □□□□□□□□□□ □□□□□□□□□□□□ □□□□ □□
: □□ □□□□ □□ □□□□□□□□

- □□□□□□□ ●
- □□,□□□□ □□□□□□ □□ ●
-
- □□□□□ □□ ●

□□ □□□□□□□□□□□□□□□□□□ □□□□□□ □□□□
□□ □□ □□□□□□ □□□□ □□-□□□□□□□□□□□□□□□□□□□
□□□□□□ □□-□□ □□ □□□□□□□□□□□□□□□□□□□□ □□□□
□□□□ □□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□
-□□□□□□□□□□ □□ □□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□ □□□□□□□□ □□□ □□ □□□□□□□□
□□ □□ □□□□□□□□□□ □□□□-□□ □□□□□□ □□□□□□□□□□
□□□□□□□ □□□□ □□□□□□□□□□□□□□□□□□□□□□ □□
-□□□□□□□□ □□□□ □□ □□□□

□□□□□□□(□□□□□□□□□□) □□□□□□□□□□2□□□ □□□□□
-□□□□□□□□□□□□□□ □□□ □□□□□□□□□□□□□□

-□□□□□□ □□□ □□ cvc□□ □□□□□□□□ □□□□□□□□□ □□ ●
-□□□□□□□□□□□□□□□□ □□□□□□□□ □□□□□□

□□□□□□□□□□□□□□□□ cvc□□ □□□□□□□□ □□□□ □□ □□ ●
-□□□□□□□□□□ □□□□□□□□□□□□□□□□ □□□□□□-□□

□□□□ □□□ □□□□□□□□□□□□ □□□□ □□ cvc□□□□ □□□□□
□□□ □□□□□□ □□□□□□□□□□□□□□□□ □□ □□□□ □□□
□□ □□□□□□□□□□□□□□□□ cvc-□□ □□□□□□□□□□□□□□
-□□ □□□□□□□□□□□□□□□□ □□

□□□□□□□□□□□□□□ □□□ □□,□□□□□□□□□□□□□□□□ cvc□□ □□

Steri-Strips (3M Steri-Strips)® Dermabond (3M Dermabond)™ Strips
3M Steri-Strips (3M Steri-Strips)™ Strips
3M Steri-Strips (3M Steri-Strips)™ Strips

: 00 0000

- 0000 0000000000000000
- 000000 00000000 000000 00
- 0000000000 000000 000000000000 0000000000

0000 000000000000

0000000000 0000 0000000000 00 00000000
00000000 00000000 0000 00 00000000 00 0000
000000000000 000000000000 0000 00 00

0000 0000000000 00(1)00000240000000000000 00
00000000000000 000 00 ,0000000000024-00 00
0000000000 000,0000 000 ,0000000000000000-00 00
00000000000000 ,000000000000000000000000

00000000 00 0000 000000000000 000 20000000 00
000000 000000 0000000000 00000000 000
00 000 00000000 00 00 000000 00000000 000000
000000cvc000 000000000000000 5003000000000000 00
0000000000000000000000 000000000000

0000 000000000000 00000000000000 0000 00
0000-0000000000 00 0000000000 00 00 00
000000000000,00 0000,000000000000 000000
00000 000 00000 ,000000

00000000 00cvc

- 000000000000,000000 000000000000cvc000
0000 0000000000
- 00000000000000000000000000000000 000000 cvc00
000000
- cvc00 000000 000000000000000000 0000 000000cvc

- 0000 000000000000000000000000 000000
 00000000000000 0000000000 000000000000 ●
 000 ,0000, 00000000,00000000000000 CVC00
 00000 000 00000000000 0000000000000000-0000
 CVC 000 000000000000000000 000-000000 00
 -000000000000000000

Directions

1. Wash your hands with soap and water for at least 20 seconds.
- Rub your hands together for at least 20 seconds.

2. Use the following steps to clean the catheter site:

1. Clean the site with the provided antiseptic wipe.
- Rub the wipe in a circular motion for at least 30 seconds.

2. Clean the site with the provided antiseptic wipe.
- Rub the wipe in a circular motion for at least 30 seconds.

3. Clean the site with the provided antiseptic wipe.
- Rub the wipe in a circular motion for at least 30 seconds.
- Allow the site to dry completely before covering it.

How to Shower with a Central Venous Catheter (CVC)

1. Wash your hands with soap and water for at least 20 seconds.
- Rub your hands together for at least 20 seconds.
- Cover the catheter site with a sterile dressing.
- CVC site
- Dressing

Showering While You Have a Central Venous Catheter (CVC)
(www.mskcc.org/cancer-care/patient-education/video/showering-while-you-have-central-venous-catheter)

Steps to Shower with a CVC

1. Wash your hands with soap and water for at least 20 seconds.
- Rub your hands together for at least 20 seconds.
- Cover the catheter site with a sterile dressing.
- AquaGuard
- Dressing

2. Shower with the catheter site covered.
- Do not get the catheter site wet.
- Allow the site to dry completely before covering it.
- Dressing

3. Wash your hands with soap and water for at least 20 seconds.
- Rub your hands together for at least 20 seconds.

CHG 4%

$$\begin{array}{r} \square\square\square\square\square \quad \square\square\square\square\square\square\square\square\square\square\square\square\square\square \quad \square\square\square\square\square\square\square\square \quad \square\square\square\square\square\square\square\square \\ - \square\square\square\square\square \quad \square\square\square\square\square\square \quad \square\square\square\square\square\square\square\square\square\square - \square\square\square\square\square \end{array} .1$$
[illegible]

CHG 4% .3

[illegible]

CHG %4 .5

[illegible][illegible]

00 0000 0000 0000 000000 000000 CHG 4%
 000000

—□□□□□□ □□□□□ □□ □□□□□□□□□□ □□₂□□CHG ●

[illegible]

● 〇

、 〇〇〇〇、 〇〇〇〇、 〇〇〇、〇〇〇〇〇 〇〇〇〇(CHG)〇〇〇〇 〇〇 4%
〇〇 - 〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇〇〇、〇〇〇
〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ CVC

1111

□ □ □ □ □ □ □ □ □ □ □ ●

□□□□□□□□ 2 □□□□□□□□□□ ●

[illegible]

[illegible]

$$\frac{\text{CVC}}{\text{CVC}} = \frac{\text{CVC}}{\text{CVC}} = .9$$

- 00000000 - 0000000000000000 $\frac{1}{3}$ 00000000 0000 ●
 - 00000000 - 0000000000000000 $\frac{1}{3}$ 00 00000000 ●
 - 0000000000000000 $\frac{1}{3}$ 00 00000000 ●

[illegible]

$\frac{1}{x^2} = x^{-2}$

.10

$$\frac{0.000000}{-0.000000} = -0.000000(0.000000) \text{ units}$$
[illegible][illegible]

