Memorial Sloan Kettering Cancer Center

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

□□□







Diabetes medicines

You may take insulin or other diabetes medicines. If so, talk with your MSK healthcare provider and the healthcare provider who prescribes it. Ask them what to do before your surgery or procedure. You may need to stop taking the medicine or take a different dose (amount) than usual. You may also need to follow different eating and drinking instructions before your surgery or procedure. Follow your healthcare provider's instructions.

.Your care team will check your blood sugar levels during your surgery or procedure

Here are some examples of diabetes medicines. There are others, so be sure your care .team knows all the medicines you take

- .Insulin
- .®Metformin, such as Glucophage® and Glumetza
- .®Medicine that contains metformin, such as Janumet
- SGLT-2 inhibitors, such as canagliflozin (Invokana®), dapagliflozin (Farxiga®), empagliflozin (Jardiance®), ertugliflozin (Steglatro®), bexagliflozin .(®(Brenzavvy®), and sotagliflozin (Inpefa
- GLP-1 receptor agonists. Read the section "GLP-1 medicines for weight loss" for .examples of GLP-1 medicines

אם אתם נוטלים תרופות GLP-1

אם אתם נוטלים תרופה מסוג GLP-1 כגון Ozempic®, Wegovy®, Mounjaro®, Zepbound®, Victoza®, Saxenda® או Rybelsus®, ייתכן שתצטרכו להפסיק את נטילתה לפני הניתוח. הסיבה לכך היא שתרופות אלו מאטות את תנועת המזון במערכת העיכול, ולכן ייתכן שיישאר מזון בקיבה גם לאחר 8 שעות של צום. הפסקת התרופה לפני הניתוח מפחיתה את הסיכון לבעיות במהלך ההרדמה.

- **שבוע לפני הניתוח:** אם אתם נוטלים תרופה שבועית, דלגו על המנה שאמורה להינתן בשבוע שלפני הניתוח. לדוגמה, אם המנה השבועית שלכם ניתנת ביום שני, דלגו עליה ביום שני שלפני הניתוח.
- **יום לפני הניתוח:** אם אתם נוטלים תרופה יומית, דלגו על המנה של יום הניתוח. לדוגמה, אם אתם נוטלים את התרופה בבוקר, דלגו עליה בבוקר יום הניתוח.

הנחיות לצום: עליכם לצום לפחות 6 שעות לפני הניתוח. ניתן לשתות נוזלים צלולים עד 2 שעות לפני הניתוח. לרשימה של נוזלים צלולים, ראו את *Clear Liquid Diet* (www.mskcc.org/cancer-care/patient-education/clear-liquid-diet).

- **יום הניתוח:** אם אתם נוטלים תרופה יומית, דלגו על המנה של יום הניתוח. לדוגמה, אם אתם נוטלים את התרופה בבוקר, דלגו עליה בבוקר יום הניתוח.

הנחיות לצום: עליכם לצום לפחות 8 שעות לפני הניתוח. ניתן לשתות נוזלים צלולים עד 2 שעות לפני הניתוח. לרשימה של נוזלים צלולים, ראו את *Clear Liquid Diet* (www.mskcc.org/cancer-care/patient-education/clear-liquid-diet).

לקבלת הנחיות נוספות, ראו את *Eating and Drinking Before Your Surgery or Procedure When Taking GLP-1 Medicines* (www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-procedure-when-taking-glp-1-medicines).

אם אתם נוטלים תרופה מסוג GLP-1 שאינה מופיעה ברשימה זו, או אם יש לכם שאלות נוספות, אנא פנו לרופא המנתח שלכם או לצוות הרפואי שלכם.

• Semaglutide (Wegovy®, Ozempic®, Rybelsus®)	• Tirzepatide (Zepbound®, Mounjaro®)
• Dulaglutide (Trulicity®)	• Liraglutide (Saxenda®, Victoza®)

AICD

(AICD) MSK

[illegible]

- [illegible] (AICD) [illegible] ( ) [illegible]
- [illegible] 6 [illegible]

[illegible] MSK [illegible] 1 [illegible]

[illegible]

[illegible]

-877: [illegible]
4649-227

8913-735-888:[illegible]VNS

-877: [illegible]
4649-227

[illegible] 3[illegible]

[illegible]8[illegible] 3[illegible] [illegible] [illegible] [

□□ □□□□□□□□□□□□

□□□□□ □□ □□ □□□□□□□□□□ □□□□□ GLP-1 □□ :□□
Eating and Drinking Before Your Surgery or □□□□□□□ ـ□□□□□□
Procedure When Taking GLP-1 Medicines (www.mskcc.org/cancer-care/patient-education/eating-and-drinking-before-your-surgery-or-□□□□□ □□ □□ □□□□□□□□ (procedure-when-taking-glp-1-medicines
ـ□□□□



□□ ،□□□□ □□ □□□□□ □□□□ □□□□□□□
□□□ ـ□□ □□□□□□□□□□□□

- Gatorade□□Powerade-
- □□ □□□□

- [illegible]
- [illegible]
- [illegible]
- [illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible]
- [illegible]

[illegible]

:[illegible]

- **David H. Koch Center**
  East 74th Street 530
  New York, NY 10021
  [illegible]

- **(Endoscopy Suite at Memorial Hospital (MSK's main hospital**
  (Streets [illegible] York Avenue (East 67th and East 68th 1275
  New York, NY 10065
  [illegible]

- **MSK Monmouth**
  Red Hill Road 480
  Middletown, NJ 07748

[illegible] MSK [illegible] www.msk.org/parking [illegible]

[illegible]

[illegible]

[illegible]

(IV) [illegible]

[illegible] IV [illegible] ([illegible]) [illegible]

[illegible] IV [illegible]

(□□□) □□□□□□ □□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□

[illegible]

[illegible] [illegible] [illegible] [