

(®)micafungin (Mycamine) ●

(®)posaconazole (Noxafil) ●

(®)isavuconazonium (Cresemba) ●

Antinausea

□□

□□

□□□□

□□□□□

□□□ □□(□□□□□□□□)□□ (□□□□ □□□□□□)□□□□□□□ □□
□□□ □□□□□□□□ -□□□□□□□□□□ □□□□□ □□□□□ □□□□□
:□□□□□□□□

(®)ondansetron (Zofran) ●

(®)hydroxyzine (Vistaril) ●

(®)metoclopramide (Reglan) ●

(®)granisetron (Kytril) ●

(®)lorazepam (Ativan) ●

(®)dronabinol (Marinol) ●

(®)fosaprepitant (Emend) ●

(®)diphenhydramine (Benadryl) ●

Antacids

□□□□□□□

□□□□□□ □□□□□□□□□□□□□□ □□ □□□□□□ □□□ □□□□□□ □□
:□□□□□□□□□□□ □□□□□□□□ -□□□□□□□□□□

(®)pantoprazole (Protonix) ●

(®)lansoprazole (Prevacid) ●

(®)ranitidine (Zantac) ●

(®)omeprazole (Prilosec) ●

(®)esomeprazole magnesium (Nexium) ●

000

- 0000000000 000000 000000 0000000000 0000 00
 00,(0000 00000000)0000 0000 ,(00000000 00) 00000
 00 -000000000000(000000 000000 000000000000)00 00 00
 000000“(PCA)0000000000 00 000000000000”000000000000
 00 PCA-000000000000 00 00000000 00000000 00,0000
 00 -000000000000 00000000 0000 00 000000 00000000 00
 :000000000000 0000000000 00 000000

- (®DepoDur®, Duramorph, MS Contin) 0000 0000000000 , 00000000
 Duragesic®,) 0000000000000000 00 ,(®Dilaudid) 00 00 000000
 (®Subsys
 00000000,00 00 000000 00 000000 0000 000000
 (®Tylenol) 0000000000000000

(000000000000 00) 000000 00

000000 0000000000000000 0000000000000000000000 0000 00
 0000000000 0000000000 -00000000 00000000 00000(00)
 :0000

- (®norgestrel(Ovral
- (®norgestrel and ethinyl estradiol(Lo-Ovral
- (®medroxyprogesterone acetate(Provera
- (®leuprolide(Lupron
- (®medroxyprogesterone acetate(Depo-Provera

MSK 2000-639-212

www.mskcc.org/pe

Commonly Used Medicine During Pediatric Stem Cell Transplants - Last updated on November 27,

2024

Memorial Sloan Kettering Cancer Center

2024, 27

.Learn about our Health Information Policy

MSK

MSK

MSK

