

□□□□□□□□□□ (CMV) □□ □□□□□□□□□□□□
 -□□□□□□□□ □□ BK □□ □□□ (HHV6) □□
 :□□□□□□□□□□ □□□□□□□□

- (®acyclovir (Zovirax) ●
- (®foscarnet (Foscavir) ●
- ®ganciclovir (Cytovene) ●
- (®cidofovir (Vistide) ●
- (®letermovir (Prevymis) ●
- (®valganciclovir (Valcyte) ●

□□□□□□□□□□ Antifungals

□□□□ □□□ □□□□□□□□□□ □□□□□□□□ □□
 □□□□□□□□ -□□□□□□□□□□ □□□□□ □□□□□□
 :□□□□□□□□□□

- (®fluconazole (Diflucan) ●
- (®amphotericin (AmBisome) ●
- (®voriconazole (Vfend) ●
- (®micafungin (Mycamine) ●
- (®posaconazole (Noxafil) ●
- (®isavuconazonium (Cresemba) ●

Antinausea □□ □□ □□□ □□□□

□□□)□□ (□□□□ □□□□□□)□□□□□□□ □□
□□ □□□□□□ □□□□□□ □□□□ □□□ □□(□□□□
:□□□□□□□□□□ □□□□□□□□ -□□□□□□□□

- (®ondansetron (Zofran ●
- (®hydroxyzine (Vistaril ●
- (®metoclopramide (Reglan ●
- (®granisetron (Kytril ●
- (®lorazepam (Ativan ●
- (®dronabinol (Marinol ●
- (®fosaprepitant (Emend ●
- (®diphenhydramine (Benadryl ●

Antacids □□□□□□

□□□□□□□□ □□ □□□□□□ □□□ □□□□□□ □□
□□□□□□□□ -□□□□□□□□□□ □□□□□□ □□□□□□
:□□□□□□□□□□

- (®pantoprazole (Protonix ●
- (®lansoprazole (Prevacid ●
- (®ranitidine (Zantac ●
- (®omeprazole (Prilosec ●
- (®esomeprazole magnesium (Nexium ●

000

000000 000000 000000000000 000 00
 ,(0000000 00) 0000 -000000000000
 00 00 00000,(0000 00000000)0000 0000
 -000000000000(00000 0000000 000000000000)
 00 000000000000,”000000000000000000
 0000000 00,000000000“(PCA)0000000000
 00 00 PCA-000000000000 00 00000000
 00 00000000 0000 00 000000 00000000
 0000 0000000000 00 00000000 -0000000000
 :0000000000

DepoDur®,)0000 000000000000 , 00000000 ●
 00 00 0000000,(®Duramorph, MS Contin
 (®Duragesic®, Subsys)000000000000000000,(®Dilaudid)
 ,00 00 000000 00 000000 0000 000000 ●
 (®Tylenol)000000000000000000 00000000

(0000000000 00)00000 00

000000 000000000000000000000000 0000 00
 0000 00000000 00000(00)0000000 00000000
 :0000000000000000 0000000000 -0000

(®norgestrel(Ovral ●

(®norgestrel and ethinyl estradiol (Lo-Ovral ●

(®medroxyprogesterone acetate (Provera ●

(®leuprolide (Lupron ●

(®medroxyprogesterone acetate (Depo-Provera ●

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000

www.mskcc.org/pe

Commonly Used Medicine During Pediatric Stem Cell Transplants - Last updated on November 27, 2024

Memorial Sloan Kettering Cancer Center

